

K-LITE



Product Portfolio
August 2019

Shakeel Ahmed
9500 004769

Galaxy Lights
(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

PHILIPS

OSRAM

Panasonic

HAVELLS

EGLO
my light | my style

Jaquar
LIGHTING

Beautifully simple . Lighting
simplified

K-LITE's Journey in Light

Light creates infinite possibilities for our imagination and for our lives ...

In 1977 K-LITE began a long journey of innovation in lighting products, chasing the dream of light.

Light allows us to realize the possibilities of our imagination. The quality of light influences the quality of life and it is clear that light must combine technique and emotions contemporaneously, defining new values, meanings, feelings, culture, comfort etc., overcoming the simple light - dark dichotomy. Furthermore, it must achieve this in compliance with the environment and available resources. Light has a communicative and social value in its ability to optimise urban spaces, giving the possibility of reclaiming the culture of a place, encourage aggregation, stimulating business and tourism, making events and architecture spectacular and increasing the feeling of safety.

K-LITE will continue to explore the mysteries of light which allow lifestyles to become better and better and our journey will lead to many places not yet even known ...

1977 ...



Indoor Wall Luminaires



Bulk Heads



Pathfinder
S




Flood Lights




Wall Brackets



In-Ground Luminaires



Underwater Luminaires



Up Down Lighters



Architectural Luminaires



Facade Luminaires



PostTop Luminaires



Street Lightings



Polar Luminaires



Tube Bollards



Bollards



Column Lights



Garden Lighting Poles



Polar Lighting Poles



Architectural Lighting Poles



Area Lighting Poles

Galaxy Lights
(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com


The K-LITE Advantage

- For over 40 years K-LITE has stood for innovation and sustainable development in the lighting industry.
- High quality, economical and longevity, characterise the portfolio consisting of a whole new range of Architectural Luminaires.
- It is a constant endeavour of K-LITE to work on designing and developing new sustainable products to help conserve resources and improve the quality of life through light.
- With our commitment to invest continuously in innovation, creativity & design, we have developed a wide range of products that comply with stricter statutory and regulatory requirements, which includes ecologically sensitive and quality conscious issues.

Awarded



Certifications



Lighting Categories

Established in 1977, K-LITE has grown to become one of the leading designers and manufacturers of architectural luminaires. With our commitment to invest continuously in innovation, creativity & design, we have developed a wide range of products in both indoor and outdoor segment, catering to various applications, and styles that suit even the most discerning customer.

K-LITE lighting range is ORGANISED into Categories so that everyone can find their way around easily and specifically.

Consumer Lighting

Modern surface and recessed mounting luminaires are a contemporary alternative to traditional downlight solutions - efficient, powerful and decorative for creative interior lighting.

Consumer Luminaires	1
Indoor Wall Luminaires	15
Pendant Luminaires	16-17
Portico Luminaires	16-17



Office Lighting

Softlite luminaire suitable for modular ceiling system with various lamp options. High quality, economy and longevity characterize the portfolio consisting of a new range of LED Luminaires.

Commercial Luminaires	1
Down Lighters	10
LED Down Lighters	1-13



Industrial Lighting

Energy efficient Luminaires with high level of IP rating to protect against ingress of dust and insects, to maintain a consistent performance throughout the lifetime of the installation.

Industrial Luminaires	18-19
---------------------------------------	-----------------------



Landscape Lighting

These Luminaires offer style and function with perfection, to ensure quality and durability of our product range, and our best-in-class value proposition. Sleek design with elegant looks complement any architecture & visual effect.

Landscape Luminaires	35
Bulk Head Luminaires	40
Up Down Lighters	39
Path Finders	36-37
In-Ground Luminaires	30-31
LED Underwater Lighting	29
Bracket Luminaires	38-39
Decorative Brackets	66



Facade / Speciality Lighting

All of our speciality fixtures are flawlessly finished and minimalist in design, they blend in so that everything else stands out.

Flood Lights	32-34
LED Strip Lights	24
Linear Profiles	20-23
IP68 Linear Profiles	26-27
Aviation Obstruction Lights	32



Retail Lighting

Lighting solutions suitable for use in a variety of retail applications creating attractive new possibilities for modern, dramatic and creative interior lighting.

LED Strip Lights	24
Down Lighters	10
LED Down Lighters	1-13
Track Lights	15



Bollards & Column Light

On paths, terraces and flowerbeds, as well as in house entrance areas or in commercial settings, these luminaires create a pleasant light effect. To complement this, K-LITE has an extensive collection of designs, finishes and style that suit even the most discerning customer.

Bollards	44-51
Tube Bollards	41
Column Light	42-44



Post Top/Garden Luminaires

Our range of Post top luminaires come with various lamping options e.g., LED / CFL / HID. Luminaires for energy-efficient illumination are designed & developed using the highest quality of raw material to increase durability & improve the quality of light.

Post Top Luminaires	52-59
Pathway Luminaires	60-64
Garden Lighting Poles	77-89



Street Lights

Energy efficient range of luminaires for road and residential streets that combines a clean look with powerful performance and robustness.

Street Lights	67-71
-------------------------------	-------



Architectural Lighting Poles

Elegant & Powerful :A range of Architectural Lighting Poles and brackets designed to harmonise both in style and proportion that integrates well with in the surroundings.

Architectural Lighting Poles	90-99
Area Lighting Poles	100-105
Polar Lighting Poles	72-76



General Details

Base Plate Details	111-115
Pole Base Cover	79
Power Supply & Connectors	109
Symbols	110
Terms & Conditions	118




Quick Reference	116-117
---------------------------------	---------


GREAT LIGHTING MADE SIMPLE





FACADE



LANDSCAPE



GARDEN LIGHTING



Shakeel Ahmed
9500 004769

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

PHILIPS
OSRAM
Panasonic
HAVELLS

EGLO
my light | my style

Jaquar
LIGHTING




Consumer Luminaires



METRO			MIRROR LIGHT			LED BATTEN			Center Cord
1591	9W LED	606 x 126 x 57	1596	5W LED	351 x 35 x 78	1594	9W LED	537 x 22 x 34	
1592	18W LED	1204 x 126 x 57	1597	10W LED	579 x 35 x 78	1595	20W LED	1137 x 22 x 34	



Commercial Luminaires



POLAR PANEL - SIDE LIT			POLAR PANEL - BACK LIT			Colour : White
2270	40W LED	596 x 596 x 24	2281	40W LED	N7 596 x 596 x 57	



Tara Series



TARA ROUND			TARA SQUARE				
3307	8W LED	Ø112 x 34	Ø105	3310	8W LED	□112 x 34	□105
3308	15W LED	Ø162 x 34	Ø155	3311	15W LED	□162 x 34	□155
3309	22W LED	Ø216 x 38	Ø205	3312	22W LED	□216 x 38	□205



TARA ROUND / SQUARE		
3313 / 3316	8W LED	Ø112 x 38 / □112 x 38
3314 / 3317	15W LED	Ø162 x 38 / □162 x 38
3315 / 3318	22W LED	Ø216 x 42 / □216 x 42

Polycarbonate Housing



Launching Soon.....




Powered By **bridgeLux**



- Luminaire housing to be ordered with required LED Module / GU10 Holder. All housing are suitable for 7W, 12W Module, For 18W module compatibility refer below
- Available CCT WW : 2700K, NW : 4000K & CW : 6000K
- CRI > 90

DALI / ANALOG / TRIAC DIMMABLE DRIVERS REFER ACCESSORIES PAGE

ID	Wattage	CRI	Dimension
8177	7W LED	>90	Ø50 x 59
8178	12W LED	>90	Ø50 x 81
8204	18W LED	>90	Ø50 x 80 x Ø75
8241	GU10 Holder	-	--



Glare Free Single



Glare Free Twin

Tiltable

GLARE FREE

ID	Dimension	Cutout
7088	SQ 102	80 x 82

Tiltable

GLARE FREE TWIN

ID	Dimension	Cutout
7089	181 x 102	160 x 82



Shopy Single



Shopy Twin

Tiltable

SHOPPY SINGLE

ID	Dimension	Cutout
7097	SQ 110	99 x 99

Tiltable

SHOPPY TWIN


ID	Dimension	Cutout
7098	200 x 110	189 x 99

Suitable for 7W,12W,18W LED Modules

Galaxy Lights
(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com


Trisha Series



Round Fixed




Round Adjustable




Fixed

ROUND	FIXED	
ID	Dimension	Cutout
7083	ø80	ø72



Tiltable

ROUND	ADJ	
ID	Dimension	Cutout
7081	ø80	ø72



Square




Square Wall Washer



White & Black



Black & Gold




Tiltable

SQUARE		
ID	Dimension	Cutout
7082	SQ80	ø72




White



Black & Gold




White & Gold



Fixed

SQUARE		
ID	Dimension	Cutout
7084	SQ80	75 x 75



Fixed

SQUARE WALL WASHER		
ID	Dimension	Cutout
7086	SQ80	75 x 75



Round




Round Wall Washer



White



Black & Gold



Fixed

ROUND		
ID	Dimension	Cutout
7085	ø78	ø72



Fixed

ROUND WALL WASHER		
ID	Dimension	Cutout
7087	ø78	ø72


Suitable for 7W,12W LED Module only

Trisha Series



White & Shiny Copper

White & Shiny Silver



Tiltable


SHINY	SPOT	
ID	Dimension	Cutout
3292	ø82	ø73



White & Shiny Copper


White & Shiny Silver

White & White




Tiltable

SHINY	SPECK	
ID	Dimension	Cutout
3293	ø79	ø70



Black Chrome


Black Chrome Wall Washer



Fixed

BLACK	CHROME	
ID	Dimension	Cutout
7739	ø95	ø90

18W





Fixed

BLACK	CHROME WALL	WASHER	
ID	Dimension	Cutout	
7741	ø95	ø90	


18W

TRIMLESS SERIES



Fixed

CROWN	PUSH FIT	
ID	Dimension	Cutout
3294	ø84	ø90



Fixed

CROWN	PUSH FIT	
ID	Dimension	Cutout
3295	SQ74	SQ85

Suitable for 7W & 12W LED Module only


Trisha Series



Wash



Oval




Round



WASH


ID	Holder	Dimension	Cutout
3319	GU10	Ø85	Ø58



ROUND

ID	Dimension	Cutout
7091	Ø92	Ø79

Suitable for 7W,12W LED Module only



OVAL

ID	Dimension	Cutout
7092	Ø92	Ø76

Suitable for 7W,12W LED Module only




Slim



Glossy




Round Adjustable




SLIM

ID	Dimension	Cutout
7094	Ø85	Ø75



GLOSSY

ID	Dimension	Cutout
7093	Ø90	Ø79



ROUND ADJ

ID	Dimension	Cutout
7099	Ø88	Ø79

Suitable for 7W,12W LED Module only




SPOT

ID	Dimension	Cutout
7096	Ø120	Ø110




SPECK


ID	Dimension	Cutout
7095	Ø108	Ø93



Fixed




Fixed



Pinhole



Deep



PINHOLE

ID	Dimension	Cutout
7736	Ø80	Ø73

Suitable for 7W, 12W LED Module only



DEEP

ID	Holder	Dimension	Cutout
7674	GU10	Ø107	Ø99



Suitable for 7W,12W,18W LED Modules


Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com





ID	Wattage	Dimension
8186	25W LED	SQ 82 x 89
8187	35W LED	SQ 92 x 109



MEGA- GLOSSY

ID	Dimension	Cutout
3303	Ø157	Ø150





SLICE

ID	Dimension	Cutout
3306	Ø133	Ø125



Glare Free Twin

Glare Free Single




GLARE FREE

ID	Dimension	Cutout
3300	SQ 140	115 x 124




Glare Free Triple



GLARE FREE TWIN

ID	Dimension	Cutout
3301	255 x 140	230 x 124




GLARE FREE TRIPLE

ID	Dimension	Cutout
3302	367 x 140	342 x 124



Features

- Dark light technology
- Antiglare luminaire - UGR<16
- Adjustable upto 30° / Rotatable 355°
- Precision engineered high quality reflector
- Beam Angle : 15° / 24° / 38° with diffuser options
- Available CCT : 2700K - 6000K / CRI >90
- Tunable whites available on request
- Easy maintenance without removing the frame from false ceiling
- Suitable for all ceiling thickness upto 30mm
- Options : F : Fixed A : Adjustable P : Fixed Pin Spot E : Elliptical



DALI / ANALOG / TRIAC DIMMABLE DRIVERS REFER ACCESSORIES PAGE



ID	Wattage	Cutout	Dimension
3327	6W LED Trim	Ø50	Ø60 x 73
3333	6W LED Trimless	Ø50	Ø94 x 77



ID	Wattage	Cutout	Dimension
3328	12W LED Trim	Ø75	Ø86 x 104
3334	12W LED Trimless	Ø75	Ø127 x 104



Powered By
CITIZEN



ID	Wattage	Cutout	Dimension
3329	20W LED Trim	Ø95	Ø105 x 119
3335	20W LED Trimless	Ø95	Ø163 x 118



ID	Wattage	Cutout	Dimension
3330	35W LED Trim	Ø120	Ø133 x 145



ID	Wattage	Cutout	Dimension
3338	6W LED	Ø30	Ø33 x 91
3339	10W LED	Ø40	Ø44 x 100



ID	Cutout	Dimension
3331 Trim / 3340 Trimless	Ø75	Ø86 x 57
3337 Trim / 3341 Trimless	□82	□89 x 79

Housing Only / Module Extra

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com



Technical Specifications


- Recessed trimless aluminium profile for better thermal management.
- Installed on 12.5mm thick plasterboard surfaces.
- Covers included with the power feed profiles. 90° corners available in the same plane (symmetrical element for left and right corners), symmetrical 90° inner and outer corners in different planes.
- For connection to the driver. Permanent or adjustable fastening kits available (optional).
- Cable entries for through-wiring of mains supply cable

Product Benefits


- Visual comfort
- Compact dimensions
- Quick & simple installation.
- Linear profile
- Minimalist design

Area of Application

Corporate Office, Conference Center, Clubs, Villas, Restaurants, Show Room, Display Center.



More products to be added shortly



LIGHT BAR

3061	15W LED	600 x 30 x 72
3062	22W LED	900 x 30 x 72



SPOT LIGHT

3064	8W LED	170 x 34 x 59
------	--------	---------------



LINEAR SPOT LIGHT

3065	12W LED	137 x 34 x 72
------	---------	---------------



MAGNETIC PROFILE - TRIMLESS	
3060	1000mm
MAGNETIC PROFILE - TRIM	
3195	1000mm
Note : Max. Length available in 3 metres	
TRIMLESS	
8208	Magnet Recessed Inner Corner
8209	Magnet Recessed Outer Corner
8210	Magnet Recessed 90° Corner
8211	End Cap
TRIM	
8212	90° Corner
8213	End Cap

Additional Accessories Refer Online















Accessories






Luminaire operating voltage is 24Vdc. Luminaire to be ordered with suitable power supply.

Line 'n' Dot Down Lighters



ID	Wattage / Lumens	Optic	C.O.D	Dimension (mm)
 7440	2W 187 lm	 12° 34°	38 x 38	44.5 x 44.5 x 47
 7445	4W 375 lm	 12° 34°	65 x 38	73 x 44.5 x 47
 7446	10W 910 lm	 12° 34° 48°	138 x 35	148 x 44.5 x 56.5
 7447	20W 1845 lm	 12° 34° 48°	271 x 35	281 x 44.5 x 56.5
 7449	30W 2750 lm	 12° 34° 48°	403 x 35	413 x 44.5 x 56.5
 7450, Glare cut off 58°	10W 910 lm		137 x 35	148 x 44 x 56.5
 7451, Glare cut off 58°	20W 1845 lm		271 x 35	281 x 44 x 56.5


Dimmable Drivers Refer Accessories Page



Line 'n' Dot





LINE 'N' DOT - LINEAR LIGHT		Multiple Design Options
3057	20W LED	1000 x 38 x 75
3056	30W LED	1000 x 38 x 75



Also available in 3 metres Length

Line 'n' Dot - Extended



SURFACE MOUNTING

3217	15W LED	82 x 82 x 80
3218	40W LED	120 x 120 x 90



RECESS MOUNTING

3208	5W LED	50 x 50	55 x 55 x 45
3209	4 x 4W LED	88 x 88	93 x 93 x 45
3210	9 x 4W LED	125 x 125	130 x 130 x 45



RECESS MOUNTING


3211	3 x 4W LED	125 x 50	130 x 55 x 45
3212	5 x 4W LED	200 x 50	205 x 55 x 45
3213	10 x 4W LED	390 x 50	395 x 55 x 45

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

Surface Mounted Series



CYLIN VIVID			CUBUS VIVID		
7297 / 7298	GU10	White&Black / Black&Gold	7356 / 7357	GU10	White&Black / Black&White
7299 / 7300	GU10	Gold&Black / Bronze&Black	7358 / 7359	GU10	Gold&Black / Bronze&Black





ASTRA ROUND		BA 30° ASTRA SQUARE		BA 30°	
3683	12W LED	∅73 x 100	3686	12W LED	∅73 x 95
3684	20W LED	∅94 x 116	3687	20W LED	∅95 x 110
3685	30W LED	∅115 x 125	3688	30W LED	∅115 x 125

Black and Rose Gold & White and Silver.








SLICE			CYLIN			CUBUS		
3662	GU10	∅60 x 210	7345	15W LED	∅110 x 120	7348	15W LED	∅110 x 120
3660	GU10	∅60 x 370	7346	25W LED	∅130 x 150	7349	25W LED	∅130 x 135
3659	GU10	∅60 x 610	7347	35W LED	∅170 x 195	7350	35W LED	∅160 x 165







ERIS - ROUND		LIVI		CRUX		PROXIMA	
7551	5W LED	3676	15W	∅60 x 210	3691	GU10	∅56 x 178
							∅50 x 104 x 185
							∅64 x 108 x 210




NEW			ACCESSORIES		
					
Twist & Zoom : 15°-50°	T1 Ø56 x 96 x 188	Colour : White / Black. Available BA 12° / 24° / 36°	7803	1 Metre 2 Wire Track	
TWISTER	CRUX	PROXIMA	3206	2 Metre 2 Wire Track	
3207 25W LED T1 Ø71 x 127	3692 GU10 Holder	3677 12W LED T1 Ø50 x 135 x 177	7807	I Connector	
Colour : White	Colour : White / Black	3678 20W LED T1 Ø64 x 135 x 200	7814	L Connector	
		3679 30W LED T1 Ø78 x 143 x 236	7819	T Connector	
			7824	+ Connector	

				
C.O.D : Ø140	C.O.D : Ø170	C.O.D : Ø90	C.O.D : 175 x 90	100 x 185 x 177
VALEO MIDI	BA40° VALEO	PULLOUT	PULLOUT 2	
7216 30W LED Ø148 x 121	7217 40W LED Ø180 x 147	3689 15W LED Ø98 x 177	3690 2 x 15W LED	
Colour : White. Available in CW / WW / NW				

Wall Lights

			
	104 x 60 x 160		
WALL SLICE	WALL CYLIN VIVID	WALL CUBUS VIVID	
3661 GU10 W20	3693 GU10 W2 N11 Ø76 x 120 x 110	3695 GU10 W2 N11 □75 x 125 x 110	
	3694 2xGU10 W2 N12 Ø76 x 120 x 180	3696 2xGU10 W2 N12 □75 x 125 x 180	
Colour : Champagne gold / Silver. N11 : Up / Down Lighter. N12 : Up Down Lighter			

		
WALL DENA SLIMMY	WALL DENA	
4000 12W LED 305 x 28 x 90	3980 6W LED W18 111 x 108 x 94	
4080 24W LED 575 x 28 x 90	3778 12W LED W19 226 x 108 x 94	
Colour : Black / Cream		

Finish : Gold & Black Nickel, Copper & Nickel, Antique Copper at extra cost.

Portico Luminaires



NEW							
VOLANS WAVY / VOLANS		MONA MIDI / MONA Colour : White & Yellow		ORCUS		CERES	
3174	36W LED	Ø497 x 88	3021	18W LED	Ø300 x 75	3025	1 x E27
3175	36W LED	Ø497 x 88	3006	30W LED	Ø415 x 80	3026	2 x E27
Colour changing - WW/NW/CW							

Pendan Luminaires



NEW							
JUNO MIDI / JUNO		MAGNUM		ALPINA		ROMAN ROUND	
Colour : Silver / Gold		Colour : Black		Colour : Yellow & Black		Colour : Black	
3022	36W LED	Ø420 x 80	2881	E27 Holder	3045	E27	Ø360 x 236
3009	60W LED	Ø600 x 80	2880	36W LED			2867

NEW							
PRISMA MEGA		TANSY FLOWER		PELICAN FORT MICRO		MAGUDAM MIDI	
Colour : Silver Ash		Colour : Silver		Colour : Silver		Colour : Black / Gold	
3192	E27	Ø410 x 320	3023	30W LED	Ø230 x 385	3040	E27
3193	E27	Ø575 x 380	2771	16W LED	Ø114 x 246	3030	24W LED
		FANOS MINI / FANOS		PELICAN FORT MINI		TRANSY	
		Colour : Silver Ash				Colour : Black	
		2772		3014		3236	
		30W LED		30W LED		10W LED	
		Ø165 x 261		Ø425 x 370		□206 x 298	

Supplied with adjustable suspension kit (1metre).




Shakeel Ahmed
9500 004769

Galaxy Lights

(Complete Lighting Solutions)


138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com



NILA MIDI / NILA			SHINE MIDI / SHINE			SONA MIDI / SONA		
Model	Power	Dimensions	Model	Power	Dimensions	Model	Power	Dimensions
2876	36W LED	Ø400 x 57	3038	27W LED	Ø450 x 126	2882	12W LED	Ø340 x 135
2877	36W LED	Ø500 x 57	3039	36W LED	Ø598 x 126	2883	18W LED	Ø410 x 148



MOON MIDI / MOON			SHINE MIDI / SHINE			SONA MIDI / SONA		
Model	Power	Dimensions	Model	Power	Dimensions	Model	Power	Dimensions
3041	36W LED	Ø450 x 108	3036	27W LED	Ø450 x 108	2874	12W LED	Ø340 x 102
3042	84W LED	Ø598 x 108	3037	36W LED	Ø598 x 108	2875	18W LED	Ø410 x 115



CYLIN SLIMMY		
Model	Power	Dimensions
3610	3W LED	Ø38 x 400
3611	8W LED	Ø60 x 300


CYLIN SLIMMY		
Model	Power	Dimensions
3049	3W LED	Ø38 x 400
3050	8W LED	Ø60 x 300

Finish : Gold, Black Nickel, Copper, Nickel, Antique Copper at extra cost.

High Bay




IP 65



HIGH BAY			Colour : Black	LINEAR HIGH BAY			Colour : Graphite Grey
2872	100W LED	Ø250 x 178		3046	2 x 60W LED	1500 x 120 x 63	
2869	150W LED	Ø300 x 182		3058	3 x 60W LED	3000 x 120 x 63	
2873	200W LED	Ø350 x 184					


Industrial Luminares



IP 65

NEW

PC



IP 65

PC



Arm Length : 240


CORROSION DUST & JET PROOF LUMINAIRES			Colour : Grey	CORROSION DUST & JET PROOF LUMINAIRES			Colour : Grey	MACHINE LAMPS			Colour : Black
3780	40W LED	1263 x 130 x 78		2870	T-5	1210 x 64 x 85		3171	B22d	Two Arms	
				2871	T-8	1270 x 86 x 95		3172	B22d	Three Arms	
					Suitable for LED lamps			3173	B22d	Four Arms	



MICROWAVE SENSOR
extra cost

Emergency Power : 3W-10W
Battery : Ni-Cd / Ni-Mh
Recharge time : 24 hours
Use time : 1.5 / 3hours
extra cost

Petrol Bunk High Bay



PETROL BUNK HIGH BAY 2			Retrofit	PETROL BUNK HIGH BAY 3			Retrofit
2878	2 x 60W LED	340 x 265 x 214		2879	3 x 60W LED	340 x 345 x 214	

High efficiency LED high bay luminaires designed to provide directional throw of light. The product design and construction of the luminaires are characterized by high luminous efficiency, an extremely long service life and uniform illuminance. Their sturdy construction makes them particularly suitable for areas where a high level of robustness is required.



POLAR HIGH BAY 1
3113 1 x 60W LED 342 x 106 x 164



POLAR HIGH BAY 2
3099 2 x 60W LED 342 x 155 x 205





POLAR HIGH BAY 3
3100 3 x 60W LED 342 x 235 x 245



POLAR HIGH BAY 4
3098 4 x 60W LED 342 x 315 x 245

Benefits

- LUMILEDS LUXEON LED Chips • CRI > Ra70
- Luminous flux up to 6600 lm(60W) • Built-in SPD, 10KV surge protection
- Efficacy up to 110 lm/W • Operating temperature : -40~+50°C
- Power Factor>0.90 • IP68 LED Module, IP67 Driver/Connector



POLAR PRIME The Outperformer

Efficiency Upto 150 lm/w



POLAR PRIME HIGH BAY 1
3187 1 x 60W LED 342 x 106 x 164





POLAR PRIME HIGH BAY 2
3188 2 x 60W LED 342 x 155 x 205



POLAR PRIME HIGH BAY 3
3189 3 x 60W LED 342 x 235 x 245



POLAR PRIME HIGH BAY 4
3190 4 x 60W LED 342 x 315 x 245



Colour : Red & Graphite Grey




Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com


LED Linear Lightings




3196 Al Profile with PC Opal Diffuser 1m




3084 Al Profile with PC Clear / Opal Matte Diffuser 1m




3082 Al Profile with PC Clear / Semi Clear Matte Diffuser 1m




3225 Al Profile with PC Clear / Semi Clear Matte Diffuser 1m




3225 Al Profile with PC Clear / Semi Clear Matte Diffuser 1m





3226 Al Profile with PC Clear / Semi Clear Matte Diffuser 1m




3227 Al Profile with PC Clear / Semi Clear Matte Diffuser 1m




3227 Al Profile with PC Clear / Semi Clear Matte Diffuser 1m




3228 Al Profile with PC Diffuser 1m




3229 Al Profile with PC Diffuser 1m




3229 Al Profile with PC Diffuser 1m




3198 Al Profile with PC Opal Matte Diffuser 4ft




3197 Al Profile with PC Opal Matte Diffuser 4ft




3197 Al Profile with PC Opal Matte Diffuser 4ft





3086 Al Profile with PC Opal Matt Diffuser 1m / 4ft




3085 Al Profile with PC Opal Matt Diffuser 1m / 4ft





3087 Al Profile with PC Opal Matt Diffuser 1m / 4ft





3200 Al Profile with PC Opal Matte Diffuser 4ft





3234 Al Profile with PC Opal Diffuser 4ft





3235 Al Profile with PC Opal Diffuser 4ft



3202 Al Profile with PC Opal Matte Diffuser 1m




3203 Al Profile with PC Opal Matte Diffuser 1m



3201 Al Profile with PC Diffuser 4ft

K-Lite Linear Series to be ordered with suitable light source & Power supply. DALI / ANALOG / TRIAC DIMMABLE DRIVERS REFER ACCESSORIES PAGE
 Rate inclusive of standard Accessories, Connectors & Customisation available on request at extra cost. Suspension kit set 1m & 2m at extra cost.

Linear Pendant
Lightings




Advantages of BWF INFINITE

- The light line can be perfectly adjusted to the room dimensions, upto 50 metres without interruption and dark spots.
- Uniform illumination even around corners.
- PC Satine Blend / Prismatic Clear / Prismatic Translucent





Continuous Linear BWF Diffuser upto 50metres

INFINITE LINEAR BWF DIFFUSER




3221

Al Profile with BWF Diffuser




1m / 4ft




3222

Al Profile with BWF Diffuser




1m / 4ft



3223

Al Profile with BWF Diffuser



1m / 4ft



DALI / ANALOG / TRIAC DIMMABLE DRIVERS REFER ACCESSORIES PAGE

K-Lite Linear Series to be ordered with suitable light source & Power supply. Black, White & Silver colour at extra cost. Rate inclusive of standard Accessories, Connectors & Customisation available on request at extra cost. Suspension kit set 1m & 2m at extra cost.

Galaxy Lights



(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com



INFINITY		Colour : Black
3231	24W LED	Ø600
3232	36W LED	Ø900
3233	48W LED	Ø1200

ARCHITECTURAL LUMINAIRES



Customized solution available on request. Please confirm with our technical team before ordering.



Application

Strips are widely used as cove lighting, step lighting, Accent lighting, etc., in Hotels & Resorts, Shopping Complex, Residential and similar applications.



12V 2835 FLEXIBLE LED STRIP

ID	Wattage	IP	LED's per m	CCT	Cut. length	Width	Packing
7945	6W/m	20	60 pcs	2700-6000K	50mm	8mm	5m / Roll
7945 B	6W/m	20	60 pcs	Blue Colour	50mm	8mm	5m / Roll
7967	6W/m	54	60 pcs	2700-6000K	50mm	8mm	5m / Roll
7281	12W/m	20	120 pcs	2700-6000K	25mm	10mm	5m / Roll
7289	12W/m	67	120 pcs	2700-6000K	25mm	12mm	5m / Roll
4248	16W/m	33	120 pcs	2700-6000K	25mm	5mm	5m / Roll



12V 5050 FLEXIBLE LED STRIP

ID	Wattage	IP	LED's per m	CCT	Cut. length	Width	Packing
7949	12W/m	20	60 pcs	2700-6000K	50mm	10mm	5m / Roll
7283	12W/m	20	60 pcs	RGB	50mm	10mm	5m / Roll
7290	12W/m	67	60 pcs	RGB	50mm	12mm	5m / Roll




12V 2835 FLEXIBLE LED STRIP FOR LINEAR LIGHTING

ID	Wattage	IP	LED's per m	CCT	Cut. length	Width	Packing
4249	15W/m	20	168pcs	2700-4000K-6000K	36mm	10mm	5m / Roll
4250	22W/m	20	240pcs	2700-4000K-6000K	25mm	10mm	5m / Roll

24V 2835 FLEXIBLE LED STRIP FOR LINEAR LIGHTING


ID	Wattage	IP	LED's per m	CCT	Cut. length	Width	Packing
7849	15W/m	20	70pcs	2700-4000K-6000K	100mm	10mm	5m / Roll
7850	22W/m	20	112pcs	2700-4000K-6000K	62mm	12mm	5m / Roll
7288	26W/m	20	280pcs	2700-4000K-6000K	100mm	36mm	5m / Roll

Luminaire operating voltage is 12/24Vdc. Luminaire to be ordered with suitable power supply and RGB controller.



3092	12W LED WW / CW	500 x 48 x 113
3094	24W LED WW / CW	1000 x 48 x 113
3068	36W LED WW / CW	1000 x 48 x 113
3070	36W LED RGB	1000 x 48 x 113
3066	72W LED WW / CW	1000 x 68 x 118
3067	72W LED RGB	1000 x 68 x 118

Luminaire to be ordered with suitable power supply and RGB controller.




Specification

- Surface, Recessed and Suspended Versions.
- Anodised aluminium profiles with IP67 encapsulation, clear/semi translucent.
- Standard Wattage : 10W/m, 24Vdc, 380 lm/m, CRI>80
20W/m, 24Vdc, 760 lm/m, CRI>80
- Standard length :1m

Installation

- Based on site requirement can be glued using PU glue, Silicone / grouted or plastered in on-site cutouts.
- Dimmable with dali and DMX controllers.
- Colour : Red, Green, Blue, Amber, RGB, RGB-W & (3000-6000K) can be Customized.
- Mounting Accessories : Clamps / Suspension kits as per site requirement.



3264

10W/m


Luminaire to be ordered with suitable power supply

Galaxy Lights



(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com



IP68 Linear Profiles





3256 / 3257 10W/m





3258 / 3259 10W/m



3260 / 3261 10W/m





3250 10W/m





3251 10W/m

Luminaire to be ordered with suitable power supply





3254

20W/m



3252


20W/m





Can be customised with optics for different light distribution

3255

20W/m



Mounting tray for better cable management with slide fit system.



3253

Walk Over

20W/m



Luminaire to be ordered with suitable power supply

LED Neon Flex



Features

- Dot free and absolutely homogeneous light emission surface.
- Flexibility combined with high durability.
- Anti-UV for outdoor use.
- UL recognized, V0 PVC material to minimize fire risk.
- 120° beam angle.
- High light quality at a lifetime of >30000 hrs
- Flexible bending radius for easy of installation.


9 Watts LED Neon Flex

ID	LED	Colour	LED's per Metre	Packing
3230	2835	WW	120 pcs	50m/roll
7285	2835	CW	108 pcs	40m/roll
7286-R	2835	Red	108 pcs	40m/roll
7286-G	2835	Green	108 pcs	40m/roll
7286-B	2835	Blue	108 pcs	40m/roll
7287	5050	RGB	72 pcs	40m/roll




ID	Accessories
8179	Font Cap 0.25m PVC Power cord
8257	Fixing Aluminium clip 50mm
8180	1m Aluminium profile
8258	Pins (10 Nos)
8259	Inter Connector
8260	Bonding PVC Glue

Accessories Kit



Refer Installation Guidelines

Facade Luminaires



SILL RECTA Colour : Graphite Grey
3078 6W LED 150 x 43 x 90



SILL CRESCENT Colour : White SILL CIRCO Colour : White
3072 6W LED 148 x 60 x 100 3071 9W LED Ø118 x 180



Shakeel Ahmed
9500 004769

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com



Recessed Pool
LED Luminaires

6762	4195	6700	4109
1 x 3W LED WW	4 x 2W LED WW 3 x 3W LED B/W	6 x 2W LED WW	12 x 2W LED WW
Ø180 x 78	Ø205 x 88		


Underwater
LED Spot Light

6740	4131	4132
1 x 3W LED WW	3 x 2W LED WW	6 x 3W LED WW
103 x 70 x 134	Ø95 x 106 x 150	Ø127 x 120 x 195
4116	1 x 3W LED RGB	

LED Fountain Light

4129	4130	4127
x 2W LED WW 4088	9 x 2W LED RGB	6 x 2W LED WW
Ø149 x 62	Suitable for Ø42/Ø24 9 Ø167 x 74	167 x 32

Stainless Steel 316 Grade Housing. Luminaire operating voltage is 12/24Vdc. Luminaire to be ordered with suitable power supply and RGB controller. IP68



3276 / 3274	12 / 24W LED	550 x 68 x 83	530 x 69 x 85
3277 / 3275	24 / 48W LED	1025 x 68 x 83	1010 x 69 x 85
3278 / 3270	12W / 24W LED	550 x 68 x 83	530 x 69 x 85
3279 / 3271	12W / 24W LED RGB	550 x 68 x 83	530 x 69 x 85
3280 / 3272	24W / 48W LED	1025 x 68 x 83	1010 x 69 x 85
3281 / 3273	24W / 48W LED RGB	1025 x 68 x 83	1010 x 69 x 85

IP rated drivers refer accessories page. Luminaire to be ordered with suitable power supply and RGB controller. Dimmable - DMX / 0-10V / Dali

In-Ground Luminaires



1W - Microled - Driver


ID	Watts	Driver Output
8242	1W	(3-5)V, 300mA
8243	3-5W	(8-12)V, 300mA
8244	4-8W	(12-24)V, 300mA
8245	8-12W	(24-42)V, 300mA

3W - Miniled - Driver

8246	3W	(3-5)V, 600mA
8247	9-18W	(9-25)V, 900mA
8248	21-30W	(20-36)V, 900mA



IP	Non-Integral	SS Body
4085	1W LED	Ø32 x 62
4086	3W LED	Ø37 x 67



For 4085 & 4086 suitable driver to be ordered separately





IP 65

4133
4134
4135

Ø55 x 104
4133 / 34 / 35 3W LED SS Body

IP 65

Symmetrical
Asymmetrical

Ø58 x 97 SS Body
4092 Symmetrical 3W LED
4093 Asymmetrical 3W LED
6466 Symmetrical 1W LED
4107 Asymmetrical 1W LED

NEW IP 65

Ø116 x 153
4147 Symmetrical lens 7W LED

IP 65

Symmetrical
Asymmetrical

Ø116 x 153
4097 Symmetrical 8W LED
4098 Asymmetrical 8W LED

IP 65

Ø116 x 153 Honeycomb louvre optional
4146 Symmetrical Reflector 10W LED



NEW

4136
4137
4144

IP 65
Ø116 x 170
4136 / 37 / 44 7W LED

IP 65

Ø220 x 265
6476 70W MH G12 Adj.
6481 70W MH G12

Symmetrical
Asymmetrical

Ø200 x 75
4089 Symmetrical 6 x 3W LED
4090 Asymmetrical 6 x 3W LED

Ø173 x 128
4140 Asymmetrical 9W LED

Ø210 x 179
4141 Asymmetrical 13W LED

Ø250 x 190
4142 Asymmetrical 18W LED



Ø116 x 98
4091 Symmetrical 8.5W LED

Ø173 x 128
4138 Symmetrical 14W LED

Ø210 x 179
4139 Symmetrical 19W LED

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

Aston

Wide spectrum of application

High efficiency LED flood light luminaires designed to provide directional wall throw. T luminaires are characterized by high luminous efficiency, an extremely long service life construction makes them particularly suitable for areas where a high level of robustness

Benefits

- High brightness Lumileds Luxeon LED Chips
- Luminous flux up to 6600 lm (60W)
- Efficacy up to 110 lm/W
- Power Factor > 0.90
- CRI > Ra70
- Built-in SPD, 10KV surge protection
- Operating temperature : -40~+50°C
- IP68 LED Module, IP67 Driver/Connector





ASTON 1	ASTON 2	ASTON 3	ASTON 4
6420	6789	6798	6788
1 x 60W LED	2 x 60W LED	3 x 60W LED	4 x 60W LED
342 x 135 x 180	342 x 135 x 245	342 x 135 x 325	342 x 135 x 365




ASTON 6 / ASTON 8		
4207	6 x 60W LED	645 x 135 x 328
4208	8 x 60W LED	645 x 135 x 368

Colour : Graphite Grey. For 12° Beam Angle add 1200 per 60 watts.



POLAR ADJUSTA - TWO WAY		
5298	2 x 60W LED	340 x 215 x 185

Aviation Obstruction Lights



IP 54		
AVIATOR 1 & 2		
6648	12W LED	D2 Ø130 x 370
6649	2 x 12W LED	D1 690 x 130 x 735

Colour : Golden Yellow


Cluster Integral with built-in power supply



IP68
LED Module

10KV
Surge


P67
Self Connectors






ASTON PRIME The Outperformer Efficiency Upto 150 lm/w

4200	1 x 60W LED	342 x 135 x 180
4201	2 x 60W LED	342 x 135 x 245
4202	3 x 60W LED	342 x 135 x 325
4203	4 x 60W LED	342 x 135 x 365
4205	6 x 60W LED	645 x 135 x 328
4209	8 x 60W LED	645 x 135 x 368

Colour : Red & Graphite Grey. Luminous flux up to 9000 ± 300 lm (60W)







Photometric Data



Flood Lights







	NEW 		
NAVI MINI 7060	NAVI SPOT 4261	7054 NAVI	6805
25W LED M41 200 x 183 x 234	50W LED M41 200 x 153 x 351	45W LED M41 200 x 153 x 351	45W LED M2 Ø166 x 153 x 557
Colour : Black	Colour : Black	BA 6°	BA 10°/28°/45° Colour : Black

			
JAZZ 4223	AMAZE MINI 4224	AMAZE 4225	CIAZ 4244, 4245, 4246
16W LED 120 x 120 x 141	30W LED 199 x 129 x 228	50W LED 199 x 164 x 280	5W LED, 12W LED, 24W LED BA 15° / 25°, BA 15° / 25°, BA 15° / 8°
Colour : Black. Standard BA 30°. BA 8° on request.			Colour : Grey Ø64 x 99, Ø95 x 124, Ø120 x 148

	
MIRA 4257 / 4258 4259 / 4260	BUMBLEBEE 7071 7072
30W / 50W LED 100W / 150W LED	30W LED 50W LED
183 x 36 x 199 / 235 x 40 x 250 285 x 47 x 300 / 333 x 53 x 355	143 x 62 x 202 193 x 62 x 202

SM Down Lighters



			
RECTO 4079	CYLIN MINI 4082 4084	CYLIN MIDI 4083	CYLIN 7576
24W LED 200 x 50 x 155	18W LED 18W LED GU10 Holder	40W LED	45W LED
Colour : Black	Colour : Black	Colour: White/Black	Colour : Graphite Grey
	Ø107 x 200 Ø107 x 110	Ø158x210	Ø172x200



Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com



NEBULA SERIES NEW



NEBU
4263
NEBU
4264
NEBU
4265

NEBULA MINI - BRACKET

4266	6W LED	122 x Ø80 x 90
------	--------	----------------

NEBULA MIDI - SPIKE

4267	12W LED	132 x 71 x 468
------	---------	----------------

NEBULA MIDI - BRACKET

4268	12W LED	147 x Ø90 x 96
------	---------	----------------

NEBULA - BRACKET

4270	18W LED	172 x Ø100 x 110
------	---------	------------------



OLIVIA MIDI - SPIKE

OLIVIA - SPIKE

TRIOSCAPE - SPIKE

TRIOSCAPE - SPIKE

TRIOSCAPE - SPIKE

4271	12W LED	120xØ95x461
------	---------	-------------

4273	20W LED	134xØ118x484
------	---------	--------------

4194	GU10 Holder	94x184x449
------	-------------	------------

7052	7W LED	72x117x430
------	--------	------------

6998	1x3W LED	72x117x430
------	----------	------------

OLIVIA MIDI - BRACKET

OLIVIA - BRACKET

TRIOSCAPE - BRACKET

TRIOSCAPE - BRACKET

TRIOSCAPE - BRACKET

4272	12W LED	108xØ95x124
------	---------	-------------

4274	20W LED	133xØ118x160
------	---------	--------------

4195	GU10 Holder	100x199x128
------	-------------	-------------

7057	7W LED	100x138x110
------	--------	-------------

6988	1x3W LED	100x138x110
------	----------	-------------

Colour : Graphite Grey. 1 Meter Cable Length.



MAPLE
Colour : Black 167 x 225 x 273
6533 E27 Holder



POORNI MICRO - SPIKE
Colour : Black
6900 GU10



POORNI MINI - SPIKE
Colour : Black
6604 B22d Ø113x188x360





NEW



SUDO MINI - BEAM

2759	3W LED	76 x 90 x 130
------	--------	---------------

SUDO MINI - ARC / SLOT

2768 / 61	3W LED	76 x 90 x 130
-----------	--------	---------------

SUDO MINI - SPOT

2762	3W LED	76 x 110 x 130
------	--------	----------------



SUDO MINI - ASY VERTICAL / VERTICAL REEDED

2749/50	3W LED	76 x 90 x 130
---------	--------	---------------

SUDO - ASY VERTICAL REEDED

2760/63	3W / 6W LED	76 x 90 x 255
---------	-------------	---------------



JADO

2735 / 2625	12W LED / 18W CFLC	244 x 96 x 191
-------------	--------------------	----------------

SURFACE MOUNTING SERIES

NEW



ZEDO

2767	12W LED	220 x 95 x 42
------	---------	---------------

NEW



ZEDO ROUND

2766	12W LED	Ø180 X 38
------	---------	-----------




SUDO/SUDO MINI - OPEN

2741	12W LED	255 x 90 x 76
2753	6W LED	255 x 90 x 76
2745	6W LED	130 x 90 x 76
2754	3W LED	130 x 90 x 76




SUDO/SUDO MINI - GRID

2742	12W LED	255 x 90 x 76
2755	6W LED	255 x 90 x 76
2746	6W LED	130 x 90 x 76
2756	3W LED	130 x 90 x 76



SUDO / SUDO MINI - ASY

2743	12W LED	255 x 90 x 76
2757	6W LED	255 x 90 x 76
2747	6W LED	130 x 90 x 76
2758	3W LED	130 x 90 x 76



SUDO EXTENDED - OPEN / GRID / ASY

2773 / 2769 / 2770	24W LED	490 x 90 x 85
--------------------	---------	---------------

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

Wall Brackets




3796
Colour : Black
N13 123 x 90 x 115
N13 142 x 107 x 170




NEW




POORNI	MICRO / POORNI MINI	ASPEN PYRO MINI / ASPEN PYRO	TRANSY	MINO
3796 / 3797	GU10 W20	4350 E27 W28	235 x Ø196 x 258	4352 10W LED W28
3669	E27 W20	4351 E27 W28	270 x Ø231 x 336	4349 18W LED W28
				257 x 206 x 325
				4358 5W LED W28
				□115 x 80




NEW




NEW



NEW



WALL SLICE WOOD	SENNA ROUND	SENNA SQUARE	WALL JADO WOOD
4189 6W LED W28	140 x 111 x 450	4353 8W LED W29	Ø166 x 55
		4355 8W LED W30	□115 x 55
			4211 12W LED W28
			N13 205 x 81 x 251
WALL SLICE STONE	SENNA WOOD ROUND	SENNA WOOD SQUARE	WALL JADO STONE
4210 6W LED W28	140 x 111 x 450	4354 8W LED W29	Ø166 x 61
		4356 8W LED W30	□115 x 61
			4212 12W LED W28
			N13 205 x 81 x 251




NEW



NEW




NEW



NEW

WALL SLICE CIRCO STONE	IP 53 SLEEK FANOS MINI	IP 53 FANOS MINI
4214 6W LED W28	Ø300 x 114	7695 16W LED W21
		4361 6W LED W28
		Ø300 x 114
		4362 E27 W21
		115 x 180 x 980
		4363 E27 W21
		115 x 200 x 980




N11 145x100x110 N12 145x100x160
WALL CYLIN MINI

3666	GU10 Holder W2	7897	6W LED W2
3667	2 x GU10 Holder W2	7898	2 x 6W LED W2



N11 145x100x166 N12 145x100x260
WALL CYLIN MINI

3653	12W LED W2
3654	2 x 12W LED W2



N11 145x100x166 N12 145x100x260
WALL CYLIN MINI

3655	1 x 18W LED W31
3656	2 x 18W LED W31



N11 236 x 166 x 200 N12 236 x 166 x 370
WALL CYLIN

3655	1 x 18W LED W31
3656	2 x 18W LED W31



N11 172x129x200 N12 172x129x250
WALL TRIO

6984	6W LED W11
6985	2 x 6W LED W11



IP54 N12 111 x 108 x 94
WALL DENA

3665	6W LED W18
Colour : Graphite Grey	



NEW WALL DENA SLIMMY

3657	12W LED	305 x 28 x 90
3658	24W LED	575 x 28 x 90



Symmetric Distribution NEW
N11 / N12 368 x 180 x 178


POLAR CRESCENT

3776	1 x 40W LED
3777	2 x 40W LED




NEW N13 171 x 121 x 260 N12 171 x 121 x 350
CUBUS

4970	30W LED W2
4364	18W LED W2
4359	2 x 18W LED W2



TITUS IP 54 306 x 178 x 50

3600	40W LED W14
------	-------------



NEW WALL RECTO 200 x 80 x 165

4193	24W LED W28
------	-------------




NEW NAVYA MINI 280 x 115 x 115

4357	24W LED W28
------	-------------




IP 54 N13 640 x Ø475 x 400
KARONA FORT MINI

5175	30W LED W23
5268	30W LED W23



NAVIRA MINI 4219 N13 220 x 170 x 260

4971	30W LED W2
4219	30W LED W22



NAVIRA 4239 N13 315 x 214 x 322

4921	45W LED W15
4239	45W LED W22

Arm Length : 0.65 / 0.8 / 1m. Colour : Black.


Recess Mounting Down Lighters



DIYA			C.O.D	BA
4241	10W LED	Ø100 x 75	Ø90	45°
4242	20W LED	Ø140 x 90	Ø130	45°
4243	30W LED	Ø185 x 110	Ø155	45°
4247	40W LED	Ø230 x 128	Ø200	30°



7555	45W LED	Ø170 x 68	Ø160
Colour : White			




Bulk Head Luminaires

IP54



RORECTRA MINI - OPEN FRAME	
4074	12W LED

133 x 59 x 217




RORECTRA MINI- HALF FRAME	
4075	12W LED

133 x 62 x 217



RORECTRA - CROSS FRAME	
4052	E27
4043	12W LED

185 x 97 x 280



RORECTRA - HALF FRAME	
4051	E27
4042	12W LED

185 x 89 x 280



BRICKO	
Prismatic Polycarbonate	
4070	2 x E27
5616	12W LED

130 x 116 x 250



RECTRA - HALF FRAME	
4055	E27
4046	12W LED

185 x 84 x 280



RECTRA HORIZON - HALF FRAME	
4058	E27
4049	12W LED

280 x 84 x 185



FOCUS MIDI - HALF FRAME	
5633	12W LED

Ø271 x 71



FOCUS MIDI - Y FRAME	
5634	12W LED

Ø271 x 75



FOCUS - OPEN FRAME	
4063	2 x E27
4032	24W LED

Ø365 x 161



FOCUS - GRID FRAME	
4066	2 x E27
4030	24W LED

Ø365 x 175



FRONTIER - HALF FRAME	
4060	2 x E27
4038	24W LED

355 x 160 x 355



FRONTIER - GRID FRAME	
4062	2 x E27
4040	24W LED

355 x 155 x 355



FRONTIER CRESCENT - HALF FRAME	
4061	2 x E27
4039	24W LED

355 x 160 x 355

Max.Wattage E27 : 13W LED / 20W CFLE. Colour : Black.

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

Ø166 x 645	Ø166 x 445	Ø166 x 685	Ø166 x 485	Ø168 x 700	Ø168 x 500
MUSHROOM - FLAT TOP	MUSHROOM - FLAT TOP	MUSHROOM ARCUS	MUSHROOM ARCUS	MUSHROOM	MUSHROOM
5591	5592	5544	5545	5582	5583
16W LED M9	16W LED M9	16W LED M9	16W LED M9	16W LED M9	16W LED M9

342 x 178 x 1000	568 x 178 x 1000	242 x 114 x 1000	366 x 114 x 1000	282 x 131 x 1000	432 x 131 x 1000
DISC	DUO DISC	FANOS MINI	DUO FANOS MINI	AERON	DUO AERON
6967	6968	4796	4795	4776	4777
16W LED M9	2 x 16W LED M9	16W LED M9	2 x 16W LED M9	20W LED M29	2 x 20W LED M29

Ø250x1455	Ø250 x 950	Ø430 x 980	Ø293 x 1045	
CAUSEWAY	ROMAN ROUND MIDI	SATURN	PRINCE ORNA	Rook Base
5455	4797	4798	4799	
E27 M20	E27 M2	E27 M2	E27 M2	
Rook Base : ID+RB (For Rook Base-Add ` 800)				

	386 x 454 x 1000	Ø590 x 980	Ø410 x 895	Ø454 x 1120
	VISOR	SHAMIANA	DELPHI	LIGHT HOUSE
	6583	5800	5589	4800
	Traffic Grey Only	30W LED M18	45W LED M2	E27 M2
			E27 M2	E27 M2

Max. Wattage **E27** : 13W LED / 20W CFL. **E27** : 17W LED / 23W CFL. Colour : Graphite Grey / Black. IP 54 Available in CW / WW / NW.




GLIDER-ASYMMETRIC 7026	540 x 534 x 2930 20W LED M15	GLIDER-SYMMETRIC 7028	540 x 555 x 2930 20W LED M15	UMBRELLYA 7022	Ø590 x 2930 20W LED M15	DIXON 7024	Ø760 x 2930 20W LED M15
---------------------------	---------------------------------	--------------------------	---------------------------------	-------------------	----------------------------	---------------	----------------------------



JUNO 7034	IP 53 Ø600 x 2655 60W LED M15	HELIA CUTOFF 7038	IP 54 Ø420x2945 30W LED M15	PARACHUTE CUTOFF 7040	30W LED M15	STENCIL 4238	IP 53 692 x 3000 40W LED M34
--------------	-------------------------------------	----------------------	-----------------------------------	--------------------------	-------------	-----------------	------------------------------------



LUCY		CEDAR		CARLEY ROUND		CARLEY SQUARE	
7042	30W LED M11	7043	70W MH E27 M11	4754	40W LED	4755	40W LED
6969	 30W LED M11						



MEXICAN MEGA		MEXICAN METRO VINCI		ANGLE DIXON		NAVI DIXON	
4791	40W LED M11	7061	30W LED M11	7030	45W LED M11	7080	45W LED M33

Shakeel Ahmed
9500 004769

PHILIPS
OSRAM
Panasonic
HAVELLS

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

EGLO
my light | my style

Jaquar
LIGHTING

Column Lights

7036	24W LED M15	Ø100 x 2640
7018	90W LED M11	Ø166 x 4200
6778	4 x 28W T-5 FTL M11	Ø166 x 2750
7020	48W LED M11	Ø166 x 2750
6759	4 x 14W T-5 FTL M11	Ø166 x 2750
7021	24W LED M11	Ø166 x 2750



7036	24W LED M15	Ø200 x 4200
VERA BOLLARD		
4789	24W LED M42	Ø200 x 1000
4790	24W LED M42	Ø200 x 500
AJNA ASYMMETRICAL BOLLARD		
4787	24W LED M42	Ø200 x 963
4788	24W LED M42	Ø200 x 463
VIRGO BOLLARD		
4761	24W LED M42	Ø200 x 972
4762	24W LED M42	Ø200 x 472



AJNA BOLLARD

VERA BOLLARD



AJNA ASYMMETRICAL

VIRGO BOLLARD



SLEEK AJNA CRESCENT

7062	8W LED M2	Ø100 x 900
7063	8W LED M2	Ø100 x 370
7064	8W LED M27	Ø134 x 220

AJNA CRESCENT

7065	16W LED M3	Ø166 x 895
7066	16W LED M3	Ø166 x 360
7067	16W LED M21	Ø200 x 165

SLEEK AJNA BOLLARD

5558	8W LED M2	Ø100 x 900
5559	8W LED M2	Ø100 x 370
5560	8W LED M27	Ø134 x 220
5576	8W LED M17	Ø100 x 80

AJNA BOLLARD

5561	16W LED M3	Ø166 x 895
5562	16W LED M3	Ø166 x 360
5563	16W LED M21	Ø200 x 165
5575	16W LED M16	Ø166 x 90

AJNA COLUMN LIGHT

4792	32W LED M11	Ø166 x 3092
------	-------------	-------------



AJNA ASYMMETRICAL BOLLARD

7048	16W LED M3	Ø166 x 930
7049	16W LED M3	Ø166 x 395
7050	16W LED M21	Ø200 x 200

SLEEK VERA BOLLARD

5568	8W LED M2	Ø100 x 1005
5569	8W LED M2	Ø100 x 475
5570	8W LED M27	Ø134 x 325

VERA BOLLARD

5565	16W LED M3	Ø166 x 975
5566	16W LED M3	Ø166 x 440
5567	16W LED M21	Ø200 x 242

VERA COLUMN LIGHT

4793	32W LED M11	Ø166 x 3166
------	-------------	-------------



Colour : Graphite Grey / Black. Top option : Flat / Round. Ordering code for flat top : KL-5567-CW. Ordering code for round top : KL-5567-RT-CW.

Bollards



MEXICAN BOLLARD - PYRO TOP

MEXICAN BOLLARD - ROUND TOP

MEXICAN BOLLARD - FLAT TOP

4801	E27 M2	Ø194 x 1000	4804	E27 M2	Ø146 x 985	4808	E27 M2	Ø168 x 985
4802	E27 M2	Ø194 x 475	4805	E27 M2	Ø146 x 455	4809	E27 M2	Ø168 x 455
4803	E27 M2	Ø194 x 325	4806	E27 M2	Ø146 x 305	4810	E27 M2	Ø168 x 305
			4807	E27 W2	220 x 146 x 305	4811	E27 W2	230 x 168 x 305



MEXICAN MAYA BOLLARD - PYRO TOP

MEXICAN MAYA BOLLARD - ROUND TOP

MEXICAN MAYA BOLLARD - FLAT TOP

4812	E27 M2	Ø194 x 1000	4815	E27 M2	Ø146 x 985	4819	E27 M2	Ø168 x 985
4813	E27 M2	Ø194 x 475	4816	E27 M2	Ø146 x 455	4820	E27 M2	Ø168 x 455
4814	E27 M2	Ø194 x 325	4817	E27 M2	Ø146 x 305	4821	E27 M2	Ø168 x 305
			4818	E27 W2	220 x 146 x 305	4822	E27 W2	235 x 168 x 305



HYBRID BOLLARD - PYRO TOP

HYBRID BOLLARD - ROUND TOP

HYBRID BOLLARD - FLAT TOP

4831	E27 M2	Ø325 x 1020	4834	E27 M2	Ø325 x 1000	4837	E27 M2	Ø325 x 1005
4832	E27 M2	Ø325 x 490	4835	E27 M2	Ø325 x 470	4838	E27 M2	Ø325 x 475

Galaxy Lights
(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

EGLO
my light | my style

Jaquar
LIGHTING



SLEEK BOLLARD - ROUND TOP

5737	18W CFLC M2	Ø100 x 1030
5740	18W CFLC M2	Ø100 x 500
5752	18W CFLC M27	Ø134 x 350



SLEEK BOLLARD - FLAT TOP

5744	18W CFLC M2	Ø100 x 1005
5747	18W CFLC M2	Ø100 x 475
5753	18W CFLC M27	Ø134 x 325



SLEEK BOLLARD - FLAT TOP - TRANSLUCENT

4823/4824	8W LED/E27 M2	Ø100x1005
4825/4826	8W LED/E27 M2	Ø100x475
4827/4828	8W LED/E27 M27	Ø134x325
4829/4830	8W LED/E27 W2	145x100x325



CIRCO BOLLARD

6959	E27 M6	176 x 168 x 1000
6960	E27 M6	176 x 168 x 500
6961	E27 M6	176 x 168 x 300
6962	E27 W2	193 x 168 x 270



CIRCO - CUTOFF BOLLARD

6963	E27 M6	176 x 168 x 1000
6964	E27 M6	176 x 168 x 500
6965	E27 M6	176 x 168 x 300
6966	E27 W2	193 x 168 x 270



SLIMMY TORCH

4778	24W LED M2	Ø105 x 970
4756	24W LED W31	173 x 105 x 950



CUBA BOLLARD

6976	E27 M7	□121 x 1005
6977	E27 M7	□121 x 505
6978	E27 M7	□121 x 305
6979	E27 W2	170 x 121 x 255



TRIO BOLLARD

6955	E27 M5	△ 130 x 1000
6956	E27 M5	△ 130 x 500
6957	E27 M5	△ 130 x 300
6958	E27 W2	170 x 130 x 245



CUBUS - CUTOFF BOLLARD

7014	E27 M7	Ø262 x 1025
7015	E27 M7	Ø262 x 525
7016	E27 M7	Ø262 x 325

Max. Wattage : E27 : 11W LED / 20W CFLC. Lamp price not include. Available in CW / WW / NW. Colour : Graphite Grey / Black.

Bollards



MEXICAN MAYA SLIMMY			MEXICAN SLIMMY			RITU BOLLARD		Colour : Graphite Grey Only
5451	18W CFLC M1	Ø140 x 920	5453	18W CFLC M1	Ø140 x 920	6951	9W LED M5	△ 130 x 800
5452	18W CFLC M1	Ø140 x 620	5454	18W CFLC M1	Ø140 x 620	6952	9W LED M5	△ 130 x 500
5688	18W CFLC M1	Ø140 x 320	5690	18W CFLC M1	Ø140 x 320	6953	9W LED M5	△ 130 x 200
						6954	9W LED W3	170 x 130 x 200



RISHU BOLLARD			MEXICAN MEGA BOLLARD - PYRO TOP			MEXICAN METRO BOLLARD		
4779	16W LED M32	Ø146 x 1050	4847	24W LED M3	Ø233 x 1100	7044	18W LED M3	Ø410 x 1090
4780	16W LED M32	Ø146 x 594	4848	24W LED M3	Ø233 x 560	7045	18W LED M3	Ø410 x 555



BEACON BOLLARD			VAJRA BOLLARD - ROUND TOP			VIRGO BOLLARD		
4840	16W LED M3	Ø410 x 970	4841	16W LED M3	Ø166 x 1025	7046	16W LED M3	Ø166 x 985
			4842	16W LED M3	Ø166 x 490	7047	16W LED M3	Ø166 x 445

Top option : Flat / Round.



JADO WOOD BOLLARD

7399	12W LED M24	200 x 110 x 1000
7511	12W LED M24	200 x 110 x 600
7543	12W LED M24	200 x 110 x 300

DUO JADO WOOD BOLLARD

7544	2 x 12W LED M24	200 x 170 x 1000
7600	2 x 12W LED M24	200 x 170 x 600
7673	2 x 12W LED M24	200 x 170 x 300



JADO BOLLARD

7078	12W LED M24	200 x 110 x 1000
7100	12W LED M24	200 x 110 x 600
7200	12W LED M24	200 x 110 x 300

DUO JADO BOLLARD

7204	2 x 12W LED M24	200 x 170 x 1000
7208	2 x 12W LED M24	200 x 170 x 600
7212	2 x 12W LED M24	200 x 170 x 300



JADO STONE BOLLARD

4226	12W LED M24	200 x 110 x 1000
4227	12W LED M24	200 x 110 x 600
4228	12W LED M24	200 x 110 x 300

DUO JADO STONE BOLLARD

4229	2 x 12W LED M24	200 x 170 x 1000
4230	2 x 12W LED M24	200 x 170 x 600
4231	2 x 12W LED M24	200 x 170 x 300

Aesthetic Appearance : Engineered Wood- Stone Film.



JADO WOOD / DUO JADO WOOD

4184	1 x 24W LED M35	300 x 160 x 2440
4185	2 x 24W LED M35	300 x 160 x 2440
JADO / DUO	JADO	
4186	1 x 24W LED M35	300 x 170 x 2440
4187	2 x 24W LED M35	300 x 170 x 2440

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

Bollards



POLAR WOOD BOLLARD			DUO POLAR WOOD BOLLARD			SLICE WOOD BOLLARD		
7219	6W LED M23	230 x 140 x 1000	4770	2 x 6W LED M23	360 x 140 x 1000	4191	6W LED M25	135 x 125 x 1000
7322	12W LED M23	330 x 140 x 1000	4771	2 x 12W LED M23	560 x 140 x 1000			



POLAR BOLLARD			DUO POLAR BOLLARD			RECTO POLAR BOLLARD		
7068	6W LED M23	230 x 140 x 1000	4772	2 x 6W LED M23	360 x 140 x 1000	4774	1 x 24W LED M39	315 x 170 x 1000
7069	12W LED M23	330 x 140 x 1000	4773	2 x 12W LED M23	560 x 140 x 1000	4775	2 x 24W LED M39	510 x 170 x 1000



POLAR LEAN BOLLARD			POLAR LEAN BOLLARD			SAMBO BOLLARD		
4234	6W LED M23	200 x 140 x 1000	4236	6W LED M23	353 x 140 x 1000	5590	6W LED M28	□150 x 1000
4235	12W LED M23	310 x 140 x 1000	4237	12W LED M23	463 x 140 x 1000	5440	12W LED M28	□150 x 1000



SARUS BOLLARD			SARUS RECTRA BOLLARD			JADO		
4766	6W LED M37	□100 x 700	4768	12W LED M24	200 x 50 x 700	4752	12W LED M24	200 x 50 x 700
4767	6W LED M37	□100 x 400	4769	12W LED M24	200 x 50 x 400	4753	24W LED M24	200 x 50 x 700






















TANSY EXO			STAINLESS STEEL MORA			Laser cutting charges on actuals CERO		
4181	24W LED M36	□150 x 910	4763	12W LED M38	385 x 60 x 506	4765	24W LED M40	1020 x 80 x 300
4182	10W LED M36	□150 x 300	4764	12W LED M38	385 x 60 x 1006			



SAMBO ROUND BOLLARD			BAMBOO BOLLARD		
5442	6W LED M2	Ø107 x 1000	4784	6W LED M31	242 x 150 x 1000

Bracket / Post Top Luminaires

			
N10 W8 288 x Ø200 x 377	N10 W8 315 x Ø250 x 330	N10 W8 315 x Ø250 x 330	N10 W8 465 x Ø400 x 485
CANDELA MINI 4906	ROMAN ROUND MIDI 5176	ROMAN ROUND MIDI 4905	ROMAN ROUND MEGA 4907
E27 Clear	E27	E27 Clear	E27 Clear
			
NEW D1 □206 x 378	D1 □234 x 304	D1 Ø276 x 290	
TRANSY 5432	TRAPEZOIDAL 6802	CONIC 6803	
10W LED	E27 TR	E27 TR	
5433			
18W LED			
			
	D1 Ø200 x 350	D1 Ø330 x 365	D1 Ø330 x 355
	ROMAN LARA MINI 5070	TOPSY MINI 5074	SATURN MINI 5075
	E27 TR	E27 TR	E27 TR
			
D1 Ø340x523	D1 Ø340 x 505	D1 Ø293 x 480	
LIGHT HOUSE MINI 5071	PRINCE MINI 5073	PRINCE ORNA MINI 5072	
E27 TR	E27 TR	E27 TR	
			
NEW D2 Ø231 x 347	D2 Ø413 x 360	D1 Ø218 x 288	
ASPEN 5434	DELPHI 5332	BEACON - METRO 5478	
E27 TR	E27	E27	

Max. Wattage E27 : 13W LED / 11W CFL. E27 : 13W LED / 20W CFL. E27 : 17W LED / 23W CFL. E27 : 30W LED / 45W CFL. IP 54

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

EGLO
my light | my style

Jaquar
LIGHTING



D1 Ø250 x 385

ROMAN ROUND MIDI
5076 E27 TR



D1 Ø250 x 385

ROMAN ROUND MIDI
4911 E27 Clear




D1 Ø250 x 390

ROMAN LARA MIDI
4937 E27 Clear



D1 □210 x 360

ROMAN PENTA MIDI
4912 E27 Clear



D1 Ø433 x 415

SATURN MIDI
5082 E27 TR



D1 Ø433 x 445

TOPSY MIDI
5083 E27 TR



D1 Ø454 x 575

PRINCE MIDI
4985 33W LED TR 5088 E27 TR



D1 Ø454 x 575

PRINCE ORNA MIDI
4984 33W LED TR 5087 E27 TR



D1 Ø454 x 575

LIGHT HOUSE MIDI
4983 33W LED TR 5084 E27 TR



D1 Ø454 x 575

LIGHT HOUSE PRISM MIDI
4913 33W LED TR 4884 E27 TR



D2 Ø233 x 490

MEXICAN MEGA
5470 40W LED



D2 Ø410 x 490

MEXICAN METRO
5476 30W LED



D2 Ø410 x 417

BEACON METRO MEGA
5477 30W LED



Max.Wattage E27 : 13W LED / 20W CFL. E27 : 17W LED / 23W CFL. IP 54

Post Top Luminaires



D2 Ø575 x 475

SATURN

5090

E27



D2 Ø400 x 470

ROMAN ROUND

4904

E27



D2 Ø400 x 470

ROMAN LARA

4903

E27

5092

E27 TR



D1 Ø337 x 305

FLYING SAUCER MIDI

4933

E27



D1 Ø336x450
4944

OVIYA MIDI - CUTOFF

4944

D1 Ø336 x 470

E27(No Knob)

30W LED



D1 Ø336x477
4945

PARACHUTE MIDI - CUTOFF

4945

D1 Ø336 x 498

E27(No Knob)

30W LED



D1 Ø336x477
4946

HELIA MIDI - CUTOFF

4946

D1 Ø336 x 498

E27(No Knob)

30W LED



D2 Ø565 x 517

FLYING SAUCER

5095

E27

5100

45W LED



D1 Ø420x515
4973

OVIYA - CUTOFF

4973

D1 Ø420 x 515

E27(No Knob)

30W LED

4974

45W LED



D1 Ø420x582
5169

PARACHUTE - CUTOFF

5169

D1 Ø420 x 605

E27(No Knob)

30W LED

5023

45W LED



D1 Ø420x582
5166

HELIA - CUTOFF

5166

D1 Ø420 x 605

E27(No Knob)

30W LED

5022

45W LED

Max. Wattage E27 : 13W LED / 20W CFL. E27 : 17W LED / 23W CFL. E27 : 30W LED / 45W CFL. Colour : Black.

IP 54

K-LITE 54



DISC D2 Ø507 x 347
5382 45W LED



AVIRA D2 Ø514 x 380
4976 30W LED



ANI D1 Ø426 x 326
4975 30W LED



PARAMOUNT D1 Ø590 x 322
4977 45W LED



SHAMIANA D1 Ø590 x 427
5096 E27 (No Knob) 45W LED
5007 45W LED



CAMEO D2 Ø590 x 450
5401 E27 (No Knob) 30W LED
5025 30W LED
5339 45W LED



DOUBLE STANDARD D2 Ø590 x 450
5402 E27 (No Knob) 30W LED
5024 30W LED
5340 45W LED



KONY D2 Ø597 x 476
4938 E27 45W LED
5010 45W LED



PRINCE D2 Ø597 x 621
5094 E27 45W LED
6934 45W LED



LIGHT HOUSE D2 Ø597 x 615
5093 E27 45W LED
6933 45W LED



HOSTA D2 392 x 340 x 634
5370 E27 45W LED
5371 30W LED

Max. Wattage E27 : 30W LED / 45W CFL. E27 : 17W LED / 23W CFL. IP 54

Post Top Luminaires

Galaxy Lights
(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

			
IP 65 DIXON MEGA 3674	D13 Ø900 x 1020 45W LED 5098	IP 65 REFLECTO PARACHUTE MEGA 4990	D13 Ø810 x 990 45W LED 5383
		D2 Ø760 x 855 20W LED 5383	IP 53 STENCIL 40W LED

			
	D3 Ø700 x 450 30W LED 5027	D3 742 x 555 30W LED 6064	IP 65 UMBRELLYA 20W LED 5031

			
NEW D2 Ø487 x 607 NEEMA 4587	NEW D1 Ø487 x 577 KESHAV 4503	NEW D1 Ø487 x 577 HOMAL 4505	NEW D2 Ø580 x 855 FEDORA 5460
1 x 50W LED 2 x 30W LED	1 x 50W LED 2 x 30W LED	1 x 50W LED 2 x 30W LED	1 x 50W LED 2 x 30W LED
4581	4503	4505	42W LED

 Asymmetric Distribution. IP 54



D1 Ø310 x 328

JUNO 4
5381 20W LED



INDIA DESIGN MARK
D1 Ø420 x 420

JUNO MIDI
5380 36W LED



INDIA DESIGN MARK
D2 Ø600 x 422

JUNO
5040 60W LED



IP 65 D2 Ø172 x 664
LUCY
4850 30W LED
4915 30W LED



IP 63 D1 Ø172 x 600
ZUCCHINI
4849 30W LED
4916 30W LED



D2 □450 x 350
JUNO QUARTO
4924 48W LED



D2 □450 x 478
TRAPEZOIDAL MIDI
4926 E27
4923 30W LED



IP 65 D2 540 x 535 x 890
GLIDER - ASYMMETRIC
5038 20W LED



IP 65 D2 540 x 545 x 890
GLIDER - SYMMETRIC
5039 20W LED

Max. Wattage E27: 30W LED / 45W CFL. Colour : Black. IP 53

Post Top Luminaires



IP03 D2 □445 x 741

DYNASTY

4917

E27

5030

30W LED



NEW

D2 □445 x 741

DYNASTY

4506

50W LED



NEW

D2 480 x 417 x 850

GENESIS

5435

E27

5436

60W LED



NEW

D22 □445 x 795

RATHA

5461

50W LED



D3 Ø435 x 932

GADAI

4918

E27

4998

45W LED

4994

60W LED



D3 Ø590 x 808

ORIENTAL

4930

E27

4931

45W LED



K-LITE 58

[Content](#)

Galaxy Lights





(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

EGLO
my light | my style

Jaquar
LIGHTING

DIFFUSER OPTIONS

V Diffuser Translucent	V Diffuser Clear
 A8	 A9
Convex Diffuser Translucent	Convex Diffuser Clear
 A10	 A11

Eg. : ID Nos.+A8 (with V Diffuser Translucent)



A9 D6 Ø300 x 612

RING FORT ARC MICRO

5189 A8 / A9 E27

4978 A8 / A10 24W LED



A10 D1 Ø425 x 768

RING FORT ARC MINI

5353 A8 / A9 E27

5000 A8 / A10 30W LED

5192 A9 / A11 30W LED



A8 D2 Ø634 x 1065

RING FORT ARC

5001 A8 / A10 42W LED

5194 A8 / A9 50W LED



A8 D8 Ø425 x 1000

RING FORT ARC MINI

5352 A8/A10 30W LED

5351 A9/A11 30W LED



A8 25 x 628

IMPERIAL MINI

5372 A8/A9 E27

5373 A8/A10 30W LED



A10 < 950

IMPERIAL

5004 A8/A10 42W LED

5032 A0/A11 50W LED

Symmetric & Asymmetric Distribution



IP03 D1 Ø350 x 680

MAGUDAM MIDI

4920 E27

4932 30W LED



IP03 D3 Ø495 x 960

MAGUDAM

4919 E27

4999 45W LED

4993 60W LED




IP03 D3 Ø495 x 960

MAGUDAM

4919 E27

4999 45W LED

4993 60W LED



IP 65 Max.Wattage E27 30W LED / 45W CFLE.

Pathway / Street Light Luminaires




NEW

IP 03 R1 D20 □206 x 316
 TRANSY
 4885 10W LED
 4886 18W LED



D20 Ø114 x 295
 IP 03 D4 Ø165 x 317
 FANOS MINI / FANOS
 4895/96 16W/30W LED



IP 03 D4 Ø166 x 215
 CYLIN / CUBUS
 4900/01 30W LED



IP 03 D4 Ø230 x 412
 TANSY FLOWER
 4950 30W LED



IP 03 D4 Ø355 x 206
 PELICAN MINI
 4943 30W LED



D4 Ø475 x 455
 KARONA FORT MINI
 5187 A11 30W LED
 4955 A10 30W LED



D4 Ø645 x 643
 KARONA FORT
 6794 1x50W LED
 6800 2x50W LED



D4 Ø560 x 620
 CLARA
 6592 70W MH E27



NEW

D4 □445 x 244
 MERCIA
 4894 1 x 50W LED
 6950 2 x 50W LED




D2 Ø512 x 710
 HONEYDROP
 4939 1x50W LED
 4941 2x50W LED




Ø710 x 545
 MAGNUM
 4902 2 x 50W LED



Diffuser option : A10 - Convex Diffuser Translucent. A11 - Convex Diffuser Clear. Eg. : ID Nos. + A8 (with V Diffuser Translucent). Colour : Black. IP 54. D20 Mounting to internally threaded pipe of designation : M20. D4 Mounting to internally threaded pipe of designation : M30




PELICAN FORT MICRO




PELICAN FORT MINI



IMPERIAL MINI



PELICAN FORT



IMPERIAL



 Asymmetrical Distribution. Colour :Black. IP 65.



PELICAN FORT MICRO

ID	Wattage	Dia	Height	Mounting
5311 A8 / A9	E27	Ø300	285	D20
4979 A8 / A10	24W LED	Ø300	285/180	D20




PELICAN FORT MINI

4899 A8 / A9 / A10	E27	Ø425	395/250	D4
5188 A9 / A11	 30W LED	Ø425	395/250	D4
4980 A8 / A10	30W LED	Ø425	395/250	D4
4897 A9 / A11	 50W LED	Ø425	395/250	D4

PELICAN FORT

6791 A9 / A11 / A12	1 x 50W LED	Ø634	618/412/610	D4
6799 A9 / A11 / A12	2 x 50W LED	Ø634	618/412/610	D4

IMPERIAL MINI

4890 A8 / A9 / A10	 E27	Ø425	407/260	D4
4891 A9 / A11	30W LED	Ø425	407/260	D4
4892 A8 / A10	 30W LED	Ø425	407/260	D4
4893 A9 /	 50W LED	Ø425	415/260	D4

IMPERIAL

5138 A9 / A11 / A12	1 x 50W LED	Ø634	705/500/695	D4
5139 A9 / A11 / A12	2 x 50W LED	Ø634	705/500/695	D4

A12 - Polycarbonate diffuser Clear.

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

Pathway Luminaires



POMELO			
4862	SA	1 x 30W LED	D21 460 x 166 x 680
4863	DA	2 x 30W LED	D21 860 x 166 x 680



MEERA			
4864	SA	1 x 30W LED	D21 462 x 166 x 550
4865	DA	2 x 30W LED	D21 864 x 166 x 550



SRIYA			
4866	SA	1 x 30W LED	D21 573 x 166 x 400
4867	DA	2 x 30W LED	D21 1080 x 166 x 400



KAYAL MINI			
4888	SA	1 x 30W LED	D21 270 x 166 x 402
4868	DA	2 x 30W LED	D21 472 x 166 x 402




KAYAL			
4889	SA	1 x 45W LED	D22 402 x 273 x 250
4869	DA	2 x 45W LED	D22 723 x 273 x 250




KAYAL SLICE			
4870	SA	1 x 45W LED	D3 440 x 273 x 400
4871	DA	2 x 45W LED	D3 797 x 273 x 400




GRID			
4648	SA	1 x 45W LED	D15 230 x 150 x 500
4649	DA	2 x 45W LED	D15 380 x 150 x 500



HERO			
4650	SA	1 x 30W LED	D22 442 x 166 x 613
4651	DA	2 x 30W LED	D22 806 x 166 x 613




FANOS			
4652	SA	1 x 30W LED	D22 421 x 165 x 600
4653	DA	2 x 30W LED	D22 765 x 165 x 600



NEW


NAVYA			
4874	SA	1 x 48W LED	D16 565 x 115 x 500
4875	DA	2 x 48W LED	D16 1014 x 115 x 500
4876	AA	24W & 48W LED	D16 807 x 115 x 1000



NEW


D15 580 x 95 x 500 D15 338 x 95 x 500

NAVYA MINI



CUBUS

4872	SA	1 x 24W LED	4953	SA	1 x 30W LED	D15 251 x 121 x 410
4873	DA	2 x 24W LED	4877	DA	2 x 30W LED	D15 422 x 121 x 410



NAVIRA MINI



NAVIRA

4954	SA	1 x 30W LED	D15 300 x 170 x 410	4922	SA	1 x 45W LED	D16 412 x 214 x 500
4878	DA	2 x 30W LED	D15 520 x 170 x 410	4879	DA	2 x 45W LED	D16 723 x 214 x 500

Pathway Luminaires



D3 465 x 550 x 120

TAGALOG

5368 50W LED

Symmetric Distribution. IP 65



D3 553 x 332 x 60

VALARI 2

5366 40W LED



D3 496x491x102


VALARI 3

5367 60W LED



EZHIL

4968 30W LED D16 735 x 122 x 985
4969 50W LED D16 735 x 122 x 985



ROSHAN

4654 SA 1 x 24W LED D22 538 x 76 x 525
4655 DA 2 x 24W LED D22 1000 x 76 x 525
4656 DA 3 x 24W LED D22 1200 x 76 x 635



RISHA

4854 SA 1 x 24W LED D17 880 x 60 x 337
4861 DA 2 x 24W LED D17 1700 x 60 x 337

Shakeel Ahmed
9500 004769

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com



Architectural New standards



Decorative Brackets



DAIN
KP-1800 300 x 200 Ø50 KP-W8



STARK
KP-1801 370 x 230 Ø50 STARK INVERTED KP-W1




STARK INVERTED KP-W1 CURVY KP-W1
KP-1802 370 x 125 Ø38 KP-1799 685 x 690 Ø38



KP-1804
DECORATIVE BRACKET KP-W9
KP-1803 362 x 550 Ø50
KP-1804 538 x 715 Ø76
Colour : Gold & Black



VINCENT / VINCENT INVERTED BRACKET VOLGA / VOLGA INVERTED BRACKET
KP-1716/17 615 x 340 Ø38 KP-W2 KP-1717




KP-1100/06 365 x 480/450 Ø50 KP-W3 KP-1106




ARCHIE BRACKET KP-W4
KP-1811 420 x 825 Ø60



PELICAN MINI BRACKET KP-W5
KP-1180 460 x 790 Ø38



PELICAN PERSIL BRACKET KP-W6
KP-2070 680 x 1355 Ø38



PELICAN ORNA BRACKET KP-W7
KP-2069 656 x 1130 Ø38



NEW
SORA BRACKET KP-W11
KP-1796 355 x 280 Ø50



NEW
NENE BRACKET KP-W11
KP-1797 364 x 190 Ø50



NEW
SYLVIA BRACKET KP-W11
KP-1798 367 x 213 Ø50

The given ID is only for brackets. Colour : Black




130
lm/W

RAY ULTRA

4175	1 x 60W LED	D2 800 x 345 x 75
4163	2 x 60W LED	D2 800 x 345 x 75
4164	3 x 60W LED	D2 800 x 345 x 75
4174	4 x 60W LED	D2 800 x 345 x 75

NEW




4291	60W LED	D12 641 x 241 x 114
4292	120W LED	D12 738 x 289 x 116

NEW



4299	20W LED	D6 295 x 113 x 50
4293	30W LED	D6 320 x 135 x 51
4294	50W LED	D6 377 x 148 x 51
4295	100W LED	D2 500 x 184 x 73
4296	120W LED	D2 535 x 210 x 73
4300	150W LED	D2 535 x 210 x 73



4177	20W LED	D6 305 x 117 x 58
4178	30W LED	D6 360 x 127 x 60
4179	50W LED	D6 410 x 160 x 63
4180	100W LED	D1 522 x 182 x 60

Colour :Traffic Grey / Black. IP 65

Street Lights

Galaxy Lights
(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com



NEW



KAYAL MINI / KAYAL

4148	30W LED	D6 Ø166 x 246 x 60	CLIPPER			NAYAN		
4149	45W LED	D2 Ø273 x 353 x 82	4173	30W LED	D1 330 x 114 x 66	4165	40W LED	D2 415 x 125 x 90



HALES			MIZAR			SHELLO		
5133	30W LED	D14 525 x 239 x 160	5152	2 x 50W LED	D11 875 x 373 x 239	4167	1 x 50W LED	D2 860 x 370 x 255
4176	50W LED	D14 525 x 239 x 160	5153	3 x 50W LED	D11 875 x 373 x 239	5149	2 x 50W LED	D2 860 x 370 x 255



DOLPHIN MINI			DOLPHIN		
5129	1 x 30W LED	D28 580 x 345 x 219	5131	2 x 50W LED	D27 806 x 457 x 300
5148	1 x 50W LED	D28 580 x 345 x 219	5132	3 x 50W LED	D27 806 x 457 x 300
4162	2 x 50W LED	D28 580 x 345 x 219	4171	4 x 50W LED	D27 806 x 457 x 300



VIMBA			ZIMBA		
5635	1 x 50W LED	D7 560 x 270 x 170	4159	1 x 50W LED	D12 587 x 288 x 204
5636	2 x 50W LED	D7 560 x 270 x 170	4160	2 x 50W LED	D12 587 x 288 x 204

Colour :Traffic Grey / Black. IP 65



JAMAL - ADJUSTABLE		
6790	1 x 50W LED	D2 697 x 488 x 192
6300	2 x 50W LED	D2 697 x 488 x 192




ALKARAN		
5125	30W LED	D1 710 x 269 x 161




NIMBA MINI		
5150	30W LED	D1 528 x 220 x 160




NIMBA		
4166/5151	1 x 50 / 2 x 50W LED	D12 759 x 304 x 217



FISHY		
4170 / 5154	1 x 50W / 2 x 50W LED	D2 898 x 296 x 195
FISHY MEGA		
5155	2 x 50W LED	D2 1500 x 390 x 270
4157	3 x 50W LED	D2 1500 x 390 x 270



SEAGULL		
4169 / 5156	1 x 50 / 2 x 50W LED	D2 1135 x 350 x 250
SEAGULL MEGA		
4158	3 x 50W LED	D3 1405 x 420 x 745



BULL HORN		
5158	2 x 50W LED	D2 1680 x 440 x 400



PALMA - ADJUSTABLE		
4240	100W LED	D26 925 x 250 x 80


Colour : Traffic Grey / Black. IP 65


Polar Street Light Luminaires


Polar Wall Bracket


		
600 x 60 x 178	320 x 120 x 63	600 x 120 x 63
ANGLE POLAR	POLAR MINI	POLAR
5308	5346	5345
24W LED W22	30W LED W12	30W LED W12
IP65 for LED Module and Driver		4412
		5292
		50W LED W12
		60W LED W12






POLAR - SIDE MOUNTING
5299
30W LED
D1 600 x 120 x 63
4401
50W LED
D1 600 x 120 x 63
5271
60W LED
D1 600 x 120 x 63





POLAR - VERTICAL MOUNTING
5300
30W LED
600 x 120 x 208
4402
50W LED
600 x 120 x 208
5274
60W LED
600 x 120 x 208


DUAL ARM POLAR - VERTICAL MOUNTING
5333
2 x 30W LED
1200 x 120 x 208
4403
2 x 50W LED
1200 x 120 x 208
5277
2 x 60W LED
1200 x 120 x 208


CROSS POLAR - VERTICAL MOUNTING
5425
30W LED
950 x 120 x 400
5426
50W LED
950 x 120 x 400
5427
60W LED
950 x 120 x 400


MEGA POLAR - VERTICAL MOUNTING
4404
50W LED
1000 x 120 x 208
5280
60W LED
1000 x 120 x 208




DUAL ARM MEGA POLAR - VERTICAL MOUNTING
4405
2 x 50W LED
2000 x 120 x 208
5283
2 x 60W LED
2000 x 120 x 208




D21/D22/D23/D15/D16

UNI WING POLAR - VERTICAL MOUNTING		
4406	50W LED	1100 x 120 x 366
5286	60W LED	1100 x 120 x 366



D22/D23/D15/D16

WING POLAR - VERTICAL MOUNTING		
4407	2 x 50W LED	2000 x 120 x 366
5289	2 x 60W LED	2000 x 120 x 366



DUO MEGA POLAR - VERTICAL MOUNTING D23/D15/D16

4408	100W LED	900 x 172 x 300
5281	120W LED	900 x 172 x 300



UNI WING DUO POLAR - VERTICAL MOUNTING D23/D15/D16

4409	100W LED	1000 x 172 x 445
5287	120W LED	1000 x 172 x 445



DUAL ARM DUO MEGA POLAR - VERTICAL MOUNTING

4410	2 x 100W LED	1800 x 172 x 300
5284	2 x 120W LED	1800 x 172 x 300



WING DUO POLAR - VERTICAL MOUNTING

4411	2 x 100W LED	1800 x 172 x 445
5290	2 x 120W LED	1800 x 172 x 445

Rectra Polar Series

ID	Arms	Wattage	Height	Arm Length	Mounting
KP-7231/68	Single Arm	2 x 60W/50W	6000	1200/1000	KP-58/70
KP-7232/69	Single Arm	2 x 60W/50W	7000	1200/1000	KP-58/70
KP-7233	Single Arm	2 x 60W	8000	1200	KP-58
KP-7234	Single Arm	2 x 60W	9000	1200	KP-58
KP-7270	Single Arm	1 x 50W	6000	1000	KP-70
KP-7271	Double Arm	2 x 50W	6000	2000	KP-70
KP-7272	Asymmetrical Arm	2 x 50W	6000	1800	KP-70
KP-7273	Rectangle SA	2 x 50W	6000	1100	KP-70
KP-7274	Rectangle DA	4 x 50W	6000	1580	KP-70
KP-7275	Rectangle AA	2 x 50W&30W	6000	1380	KP-70
KP-7276	Asymmetrical Arm	4 x 40W	5000	2000	KP-71



Polar Lighting Poles



NEW

KP-69
Pole Size : □50

KP-4818 P5	10W	2500
KP-4819 P5	2 x 10W	3500



NEW

KP-57.5
Pole Size : □100

KP-4820 P5	60W+20W	6000
KP-4821 P5	60W	6000



NEW

KP-57.3
Pole Size : □80

KP-4822 P5	60W	4000
------------	-----	------



NEW

KP-57.4

KP-4767 P5	1 x 55W	4500
KP-4768 P5	2 x 55W	4500

Colour : Graphite Grey

ID

KP-7250

KP-7267

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)

Email : galaxylightsid@gmail.com

shakeelid@gmail.com

PHILIPS

OSRAM


Panasonic

HAVELLS

EGLO

my light | my style

Jaquar
LIGHTING




KP-7267

KP-7250

Sleek Polar Poles

ID	Arms	Wattage	Height	Arm Length	Mounting
KP-4793	Single Arm	1 x 24W	3000	600	KP-56.11
KP-4794	Double Arm	2 x 24W	3000	1200	KP-56.11
KP-4795	L Arm	1 x 24W	3000	600	KP-56.11
KP-4813	Asymmetrical Arm	2 x 24W	3660	1200	KP-56.11
KP-4816	Single Arm	1 x 24W	3660	600	KP-56.11
KP-4817	Double Arm	2 x 24W	3660	1200	KP-56.11
KP-4823	Parallel Arm	2 x 24W	4000	700	KP-57.3

P5 Quadra Pole. Decorative Embellishment & Base cover refer page no. 79



KP-4793

KP-4795

KP-4817

KP-4794


KP-4813

KP-4816

Sleek Polar Poles

ID	Arms	Wattage	Height	Arm Length	Mounting
KP-4862 / 4863	Single Arm	1 x 30W	3000 / 4000	600	KP-56.1/57.3
KP-4864 / 4865	Double Arm	2 x 30W	3000 / 4000	1200	KP-56.1/57.3
KP-4866 / 4867	L Arm	1 x 30W	3000 / 4000	600	KP-56.1/57.3
KP-4868 / 4869	Single Arm	1 x 30W	3000 / 4000	600	KP-56.1/57.3
KP-4870 / 4871	Double Arm	2 x 30W	3000 / 4000	1200	KP-56.1/57.3
KP-4872 / 4873	Asymmetrical Arm	2 x 30W	3000 / 4000	1200	KP-56.1/57.3

P5 Quadra Pole. Decorative Embellishment & Base cover refer page no. 79



Limitless Possibilities

KP-4868

KP-4872

KP-4864 KP-4866

KP-4873

Shakeel Ahmed
9500 004769

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

PHILIPS
OSRAM
Panasonic
HAVELLS

EGLO
my light | my style

Jaquar
LIGHTING

Polar Poles

ID	Arms	Wattage	Height	Arm Length	Mounting
KP-4761	Single Arm	1 x 60W	3000	900	KP-56.2
KP-4762	Double Arm	2 x 60W	3000	1800	KP-56.2
KP-4763	L Arm	1 x 60W	3000	900	KP-56.2
KP-4764	V Arm	2 x 60W	4000	1414	KP-57.4
KP-4765	Square Arm	2 x 60W	4000	845	KP-57.4
KP-7221	Single Arm	1 x 60W	6000	1145	KP-57.5
KP-7222	Double Arm	2 x 60W	6000	1800	KP-57.5
KP-7229	Single Arm	1 x 60W	6000	900	KP-57.5
KP-7230	Asymmetrical Arm	3 x 60W	7000	1950	KP-57.5
KP-7225	Single Arm	1 x 60W	7000	1145	KP-57.5
KP-7226	Double Arm	2 x 60W	7000	1800	KP-57.5

P5 Quadra Pole. Base cover refer page no. 79



KP-4763

KP-7229

KP-4762

KP-4761

KP-4765

KP-7230

KP-4764

KP-7222

KP-7221

Juno Hoop Lighting Poles

ID	Luminaires	Height	Mounting
KP-4835 P7	Single	4000	KP-61
KP-4836 P7	Double	5000	KP-62
KP-4837 P7	Triple	6000	KP-62
JUNO			
4297	60W		Ø600 x 90




Bamboo Lighting Poles



ID	Arms	Wattage	Height	Mounting
KP-4838	Single Arm	1 x 20W	3000	KP-61
KP-4839	Double Arm	2 x 20W	3000	KP-61
KP-4840	Single Arm	1 x 20W	3660	KP-61
KP-4841	Double Arm	2 x 20W	3660	KP-61

P7 Circular Pole



Shakeel Ahmed
9500 004769

PHILIPS

OSRAM

Panasonic

HAVELLS

EGLO
my light | my style

Jaquar
LIGHTING

Galaxy Lights

(Complete Lighting Solutions)


138, Chamiers Road,
Nandanam, Chennai - 35.

(Between : Thevar Statue & Times of India)

Email : galaxylightsid@gmail.com

shakeelid@gmail.com

Garden Lighting Poles



Flat

Colombia

Circular

Cyclo Aluminium

Quadra 80mm

Quadra 100mm

Garden Lighting Poles



TWINKLE LIGHTING POLE

KP-3825 P8	Ø50.8	Ht.2000	KP-27
KP-3827 P8	Ø76.1	Ht.2440	KP-49
KP-3828 P8	Ø76.1	Ht.3050	KP-49
KP-3829 P8	Ø76.1	Ht.3660	KP-49
KP-3830 P8	Ø76.1	Ht.4270	KP-49



COBRA RANA LIGHTING POLE

KP-2519 P14	Ø60.3	Ht.2440	KP-49
KP-2520 P14	Ø60.3	Ht.3050	KP-49
KP-2521 P14	Ø60.3	Ht.3660	KP-49
KP-2522 P14	Ø60.3	Ht.4270	KP-49


KP-2522



KP-3818

KP-3824

TUSKER RANA LIGHTING POLE			
KP-3816 P14	Ø60.3	Ht.2440	KP-49
KP-3817 P14	Ø60.3	Ht.3050	KP-49
KP-3818 P14	Ø60.3	Ht.3660	KP-49
KP-3819 P14	Ø60.3	Ht.4270	KP-49
KP-3858 P8	Ø76.1	Ht.5500	KP-51.2



VIPER LIGHTING POLE

KP-3801 P14	Ø60.3	Ht.3660	KP-49
KP-3802 P14	Ø60.3	Ht.4270	KP-49

KP-3802



LORA LIGHTING POLE

KP-3798 P8	24W LED	Ht.2440	KP-49
KP-3799 P8	24W LED	Ht.3050	KP-49
KP-3800 P8	24W LED	Ht.3660	KP-49
KP-3797 P8	24W LED	Ht.4270	KP-49

Ø76.1
KP-3800

WINGER LIGHTING POLE			
KP-3822 P14	Ø76.1	Ht.3050	KP-49
KP-3823 P14	Ø76.1	Ht.3660	KP-49
KP-3824 P14	Ø76.1	Ht.4270	KP-49



CORDIA LIGHTING POLE

Ø88.9
KP-4367

KP-4367 P7	SA	Ht.3660	KP-44
KP-4368 P7	SA	Ht.4270	KP-44
KP-4369 P7	DA	Ht.3660	KP-44
KP-4370 P7	DA	Ht.4270	KP-44



ANCHOR CORDIA LIGHTING POLE

Ø88.9
KP-4371


KP-4371 P7	SA	Ht.3660	KP-44
KP-4372 P7	SA	Ht.4270	KP-44
KP-4373 P7	DA	Ht.3660	KP-44
KP-4374 P7	DA	Ht.4270	KP-44



MONAL LIGHTING POLE

Ø88.9
KP-3832

KP-3831 P7	SA	Ht.3000	KP-44
KP-3832 P7	SA	Ht.3500	KP-44
KP-3833 P7	SA	Ht.4000	KP-44



MONAL LIGHTING POLE

Ø88.9
KP-4376

KP-4376 P7	DA	Ht.3660	KP-44
KP-4377 P7	DA	Ht.4270	KP-44



EAGLE LIGHTING POLE

Ø76.1
KP-4758

KP-4758 P8	SA	Ht.3660	KP-49
KP-4759 P8	DA	Ht.3660	KP-49



SUJICE LIGHTING POLE

KP-4288


KP-4287 P9	Ø76.1	Ht. 3050	KP-37
KP-4288 P9	Ø76.1	Ht. 3660	KP-37
KP-4289 P9	Ø76.1	Ht. 4270	KP-37



MINAR LIGHTING POLE

KP-4208

KP-4207 P14	Ø76.1	Ht. 2440	KP-49
KP-4208 P14	Ø76.1	Ht. 3050	KP-49
KP-4209 P14	Ø76.1	Ht. 3660	KP-49



CHINAR LIGHTING POLE

KP-4222

KP-4221	Ø76.1	Ht. 2440	KP-49
KP-4222	Ø76.1	Ht. 3050	KP-49
KP-4223	Ø76.1	Ht. 3660	KP-49

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com



Garden Lighting Poles



TUSKER ARCH LIGHTING POLE

KP-3809



SWATHI LIGHTING POLE

KP-3852



EXENDRA LIGHTING POLE

KP-49
KP-4314



EXENDRA LIGHTING POLE

KP-49
KP-4316

KP-3807	Ø76.1	Ht.4270	KP-49
KP-3808	Ø76.1	Ht.5000	KP-51
KP-3809	Ø76.1	Ht.6000	KP-51

KP-3851	Ø88.9	Ht.4000	KP-44
KP-3852	Ø88.9	Ht.5000	KP-66

KP-4314 P8	SA	Ø60.3	Ht.3050
KP-4315 P8	SA	Ø60.3	Ht.3660

KP-4316 P8	DA	Ø60.3	Ht.3050
KP-4317 P8	DA	Ø60.3	Ht.3660


E27 Holder suitable for 11W LED

E27 Holder suitable for 11W LED




KOKI LIGHTING POLE

KP-4193



DRIVE WAY LIGHTING POLE

KP-4154



PELICAN LIGHTING POLE

Ø60.3
KP-4545



WAVY LIGHTING POLE

Ø76.1
KP-4675

KP-4193 P14	Ø76.1	Ht.4880	KP-40
KP-4190 P14	Ø76.1	Ht.4270	KP-49

KP-4154 P8	Ø60.3	Ht.3050	KP-49
KP-4155 P8	Ø60.3	Ht.3660	KP-49

KP-4544 P8	SA	Ht.3050	KP-49
KP-4545 P8	SA	Ht.3660	KP-49
KP-4546 P8	DA	Ht.3050	KP-49
KP-4547 P8	DA	Ht.3660	KP-49

KP-4674 P14	SA	Ht.4570	KP-40
KP-4675 P14	DA	Ht.4570	KP-40
KP-4676 P14	TA	Ht.4570	KP-40



MUSKAN LIGHTING POLE

KP-49
KP-4630


KP-4627 P8	SA	Ø60.3	Ht.3050
KP-4628 P8	DA	Ø60.3	Ht.3050
KP-4629 P8	SA	Ø60.3	Ht.3660
KP-4630 P8	DA	Ø60.3	Ht.3660



EMPIRE LIGHTING POLE

KP-49
KP-4476

KP-4474 P8	SA	Ø60.3	Ht.3050
KP-4485 P8	SA	Ø60.3	Ht.3660
KP-4476 P8	DA	Ø60.3	Ht.3050
KP-4486 P8	DA	Ø60.3	Ht.3660



BLOSSOM SMALL LIGHTING POLE

KP-49
KP-4684

KP-4681 P8	FA	Ø76.1	Ht.3050
KP-4684 P8	FA	Ø76.1	Ht.3660



BLOSSOM LIGHTING POLE

KP-49
KP-4694

KP-4691 P8	FA	Ø76.1	Ht.3050
KP-4694 P8	FA	Ø76.1	Ht.3660



VENUS 3 LIGHTING POLE

KP-49
KP-4411

KP-4411 P8	Venus 3	Ht.3050
KP-4412 P8	Venus 5	Ht.3660



VENUS 9 LIGHTING POLE

KP-40
KP-4413

KP-4413 P8	Venus 9	Ht.4270
------------	---------	---------



VENUS 17 LIGHTING POLE

KP-29
KP-4416



KP-4416	Venus 17	Ht.6000
---------	----------	---------

Garden Lighting Poles

SNARY LIGHTING POLE		Ø76.1 KP-4502		
	KP-4502 P8	SA	Ht.4270	KP-49
	KP-4503 P8	DA	Ht.4270	KP-49
CISSOR ORNA LIGHTING POLE		Ø76.1 KP-4729		
	KP-4728 P8	SA	Ht.4570	KP-40
	KP-4729 P8	DA	Ht.4570	KP-40
CORALLUME ORNA LIGHTING POLE		Ø76.1 KP-4519		
	KP-4518 P14	DA	Ht.3050	KP-49
	KP-4519 P14	DA	Ht.3660	KP-49

Bracket option : Post Top / Street Light



CLASSIQUE LIGHTING POLE		Ø76.1 KP-4731		
	KP-4730 P8	SA	Ht.4570	KP-40
	KP-4731 P8	DA	Ht.4570	KP-40
PELICAN PERSIL LIGHTING POLE		Ø60.3 KP-4735		
	KP-4732 P8	SA	Ht.3050	KP-49
	KP-4733 P8	DA	Ht.3050	KP-49
EURO LIGHTING POLE		Ø76.1 KP-4536		
	KP-4534 P8	SA	Ht.3660	KP-49
	KP-4535 P8	SA	Ht.4270	KP-49
VI NC ENT LIGHTING POLE		Ø76.1 KP-4504		
	KP-4504 P13	SA	Ht.4270	KP-16
	KP-4505 P13	DA	Ht.4270	KP-16

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

EGLO
my light | my style

Jaquar
LIGHTING




BISHOP PELICAN ORNA LIGHTING POLE

Ø76.1
KP-4258



BISHOP PELICAN ORION LIGHTING POLE

Ø76.1
KP-4259



CURVY FURROW BISHOP LIGHTING POLE

KP-16
KP-3843



CURVY BISHOP LIGHTING POLE

KP-16
KP-3840

KP-4257 P12	SA	Ht.4270	KP-16
KP-4258 P12	DA	Ht.4270	KP-16

KP-4259 P12	SA	Ht.4270	KP-16
KP-4260 P12	DA	Ht.4270	KP-16

KP-3843 P12	SA	Ø88.9	Ht.4270
KP-3839 P12	SA	Ø76.1	Ht.4270

KP-3840 P12	DA	Ø76.1	Ht.4270
KP-3844 P12	DA	Ø88.9	Ht.4270



FURROW BISHOP DRIVE WAY ORNA LIGHTING POLE

Ø88.9
KP-4230



BISHOP DRIVE WAY ORNA LIGHTING POLE

Ø76.1
KP-4199



PELICAN ORNA FLORIAN LIGHTING POLE

KP-8320



CORALUME ORNA FURROW FLORIAN

KP-4360

KP-4228	SA	Ht.3660	KP-16
KP-4230	SA	Ht.4270	KP-16
KP-4237	AA	Ht.4270	KP-16

KP-4198	SA	Ht.3660	KP-16
KP-4199	SA	Ht.4270	KP-16
KP-4200	AA	Ht.4270	KP-16

KP-8320 P11	SA	Ht. 5200	KP-34
KP-8321 P11	DA	Ht. 5200	KP-34

KP-4359 P11	DA	Ht. 4270	KP-34
KP-4360 P11	FA	Ht. 4270	KP-34



Cross

Furrow Bishop

Causeway Midi

Causeway

Cross Bishop

Causeway Mini

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com



CAUSEWAY

ID	Pole Dia	Height	Mounting
KP-4338 P13	Ø76.1	3050	KP-16
KP-4339 P13	Ø76.1	3660	KP-16
KP-4340 P13	Ø76.1	4270	KP-16

CAUSEWAY MIDI

KP-4335 P13	Ø76.1	3050	KP-16
KP-4336 P13	Ø76.1	3660	KP-16
KP-4337 P13	Ø76.1	4270	KP-16

CAUSEWAY MINI

KP-4334	Ø76.1	1830	KP-35
---------	-------	------	-------

FURROW CAUSEWAY

KP-4347 P13	Ø88.9	3050	KP-16
KP-4348 P13	Ø88.9	3660	KP-16
KP-4351 P13	Ø88.9	4270	KP-16

FURROW CAUSEWAY MIDI

KP-4344 P13	Ø88.9	3050	KP-16
KP-4345 P13	Ø88.9	3660	KP-16
KP-4346 P13	Ø88.9	4270	KP-16

FURROW CAUSEWAY MINI

KP-4352	Ø88.9	1830	KP-35
---------	-------	------	-------

BISHOP

KP-4324 P12	Ø76.1	3050	KP-16
KP-4325 P12	Ø76.1	3660	KP-16
KP-4326 P12	Ø76.1	4270	KP-16

FURROW BISHOP

KP-4305 P12	Ø88.9	3050	KP-16
KP-4306 P12	Ø88.9	3660	KP-16
KP-4307 P12	Ø88.9	4270	KP-16

CROSS BISHOP

KP-4302 P12	Ø76.1	3050	KP-16
KP-4303 P12	Ø76.1	3660	KP-16
KP-4304 P12	Ø76.1	4270	KP-16

CROSS

KP-4160 P15	Ø76.1	3050	KP-12
KP-4187 P15	Ø76.1	3660	KP-12
KP-4188 P15	Ø76.1	4270	KP-12

BRACKET OPTIONS



SORA BRACKET

KP-4382/83	SA/DA	Ht.280
------------	-------	--------



NENE BRACKET

KP-4380/81	SA/DA	Ht.190
------------	-------	--------



SLYVIA BRACKET

KP-4378/79	SA/DA	Ht.213
------------	-------	--------

Brackets suitable for Ø50, Ø60 & Ø76 OD pipe.



Furrow Florian

Missile

Florian

Cl.Doric

Cl.Mercia

Cl.Furrow Vinca



FLORIAN

ID	Pole Dia	Height	Mounting
KP-4327 P11	Ø76.1	4270	KP-34
KP-4328 P11	Ø76.1	4880	KP-34

FURROW FLORIAN

KP-4308 P11	Ø88.9	4270	KP-34
KP-4309 P11	Ø88.9	4880	KP-34

MISSILE

KP-4169 P15	Ø76.1	3660	KP-12
KP-4196 P15	Ø76.1	4270	KP-12

Cast Iron Pole



DORIC

KP-4384	-	3200	KP-67
---------	---	------	-------

Cast Iron Base



VINCA

KP-4385	Ø88.9	3050	KP-74
KP-4386	Ø88.9	3660	KP-74
KP-4387	Ø88.9	4270	KP-74

FURROW VINCA

KP-4388	Ø88.9	3050	KP-74
KP-4389	Ø88.9	3660	KP-74
KP-4390	Ø88.9	4270	KP-74

MERCIA

KP-4391	Ø88.9	3050	KP-75
KP-4392	Ø88.9	3660	KP-75
KP-4393	Ø88.9	4270	KP-75

FURROW MERCIA

KP-4394	Ø88.9	3050	KP-75
KP-4395	Ø88.9	3660	KP-75
KP-4396	Ø88.9	4270	KP-75

BRACKET OPTIONS



SORA BRACKET

KP-4382/83

SA/DA

Ht.280



NENE BRACKET

KP-4380/81

SA/DA

Ht.190



SLYVIA BRACKET

KP-4378/79

SA/DA

Ht.213

Brackets suitable for Ø50, Ø60 & Ø76 OD pipe.

Galaxy Lights









(Complete Lighting Solutions)


138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

EGLO
my light | my style


Jaquar
LIGHTING

Architectural Lighting Poles

MONAL LIGHTING POLE		PREMIUM LIGHTING POLE		JAVELIN LIGHTING POLE			
	KP-3845 P7 SA Ø88.9 Ht.5000		KP-66 KP-8054/55 P10 SA/DA Ht.6000		KP-51 KP-8057 KP-7166/67 P1 SA/DA Ht.6000		KP-51 KP-7172
	KP-3861 P7 DA Ø88.9 Ht.5000		KP-66 KP-8056/57 P10 SA/DA Ht.7000		KP-7172 P1 SA Ht.9000		
	KP-8046 P7 SA Ø114.3 Ht.7000		KP-39 KP-8058/59 P10 SA/DA Ht.8000		KP-7173 P1 DA Ht.9000		
KP-8048 P7 DA Ø114.3 Ht.7000	KP-39 NEW KP-8060/61 P10 SA/DA Ht.9000	KP-7174 P1 AA Ht.9000					
TONGO LIGHTING POLE		MIRAZ LIGHTING POLE		EMPEROR LIGHTING POLE		EMRESS LIGHTING POLE	
	KP-7283 P7 SA Ht.5000		KP-66 KP-7289 P7 48 & 24W LED Ht.5500		KP-51 KP-7175 P1 SA Ht.7000		KP-51 KP-7208/09 P1 SA/DA Ht.6000
	KP-7284 P7 SA Ht.7000		KP-39 Inclusive of luminaire		KP-51 KP-7176 P1 DA Ht.7000		KP-51 KP-7182/83 P1 SA/DA Ht.9000
							KP-51 KP-7184 P1 AA Ht.9000



EAGLE LIGHTING POLE	KP-7287 P1	SA	Ht.9000	KP-51	AMERICAN LIGHTING POLE	KP-7168 P1	SA	Ht.6000	KP-51	AMERICAN MEGA LIGHTING POLE	KP-8183 P1	SA	Ht.9000	KP-51	MARINO LIGHTING POLE	KP-7285 P1	SA	Ht.9000	KP-51
	KP-7288 P1	DA	Ht.9000	KP-51		KP-7169 P1	DA	Ht.6000	KP-51		KP-8180 P1	DA	Ht.9000	KP-51		KP-7286 P1	DA	Ht.9000	KP-51
						KP-8139 P1	SA	Ht.9000	KP-51										
						KP-8140 P1	DA	Ht.9000	KP-51										



MILAN LIGHTING POLE	KP-7290 P7	SA	Ht.5000	KP-66	QUADRA LIGHTING POLE	KP-8178/79 P5	SA/DA	Ht.6000	KEONI LIGHTING POLE	KP-3859 P7	SA	Ht.5000	KP-66	HADVIK LIGHTING POLE	KP-3849 P5	□80	Ht.5000	KP-57.3
	KP-7291 P7	DA	Ht.5000	KP-66		KP-8174/75 P5	SA/DA	Ht.9000		KP-3860 P7	AA	Ht.5000	KP-66					
						KP-8176 P5	AA	Ht.9000										

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

EGLO
my light | my style

Jaquar
LIGHTING

Architectural Lighting Poles



NEERO LIGHTING POLE

KP-8136

KP-8136 P1	SA	Ht.9000	KP-51
KP-8182 P1	DA	Ht.9000	KP-51



SWORD LIGHTING POLE

KP-7193


KP-7210 P1	SA	Ht.6000	KP-51
KP-7211 P1	DA	Ht.6000	KP-51
KP-7192 P1	SA	Ht.7000	KP-51
KP-7193 P1	DA	Ht.7000	KP-51



EGRET LIGHTING POLE

KP-8315

KP-8314 P1	SA	Ht.6000	KP-51
KP-8315 P1	DA	Ht.6000	KP-51
KP-8316 P1	SA	Ht.7000	KP-51
KP-8317 P1	DA	Ht.7000	KP-51



EGRET FLACO LIGHTING POLE

KP-8305


KP-8304 P10	SA	Ht.6000	KP-51
KP-8305 P10	DA	Ht.6000	KP-51
KP-8306 P10	SA	Ht.7000	KP-51
KP-8307 P10	DA	Ht.7000	KP-51



SEAGULL LIGHTING POLE

KP-8185

KP-8185 P1	SA	Ht.9000	KP-17
KP-8186 P1	DA	Ht.9000	KP-17



GIRAFFE LIGHTING POLE
ECO - Model

KP-20
KP-8194

KP-8192/93	SA/DA	Ht.8000	
KP-8194	AA	Ht.8000	
KP-8204/05	SA/DA	Ht.9000	
KP-8207	AA	Ht.9000	



ASLAN LIGHTING POLE

KP-7502

KP-7501	SA	Ht.9000	KP-51
KP-7502	DA	Ht.9000	KP-51
KP-7503	AA	Ht.9000	KP-51






MAMBA LIGHTING POLE

KP-7505


KP-7504 P7	SA	Ht.7000	KP-39
KP-7505 P7	DA	Ht.7000	KP-39



VICTORY FALCO LIGHTING POLE

KP-8303


KP-8300 P10	SA	Ht.6000	KP-51
KP-8301 P10	DA	Ht.6000	KP-51
KP-8302 P10	SA	Ht.7000	KP-51
KP-8303 P10	DA	Ht.7000	KP-51



HAWK LIGHTING POLE

KP-8078

KP-8078 P7	SA	Ht.6000	KP-51
KP-8079 P7	DA	Ht.6000	KP-51
KP-8080 P7	SA	Ht.7000	KP-39
KP-8081 P7	DA	Ht.7000	KP-39



FISHY LIGHTING POLE

KP-51
KP-7214

KP-7212/13 P1	SA/DA	Ht.6000
KP-7214/15 P1	SA/DA	Ht.7000
KP-7194/95 P1	SA/DA	Ht.9000
KP-7196 P1	AA	Ht.9000



COBRA LIGHTING POLE

NEW

KP-7293

KP-7292 P8	SA	Ht.5000	KP-51
KP-7293 P8	SA	Ht.6000	KP-51



MONARC LIGHTING POLE

KP-51
KP-8105

KP-8109/05 P1	SA/DA	Ht.6000
KP-8090/93 P1	SA/DA	Ht.7000
KP-8091/94 P1	SA/DA	Ht.8000
KP-8092/95 P1	SA/DA	Ht.9000



DARTER LIGHTING POLE

NEW

KP-51
P1 KP-7302

KP-7295/96	SA/DA	Ht.6000
KP-7297/98	SA/DA	Ht.7000
KP-7299/7300	SA/DA	Ht.8000
KP-7301/02	SA/DA	Ht.9000

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com



Architectural Lighting Poles



NINJA LIGHTING POLE

KP-8042

KP-8041 P1	SA	Ht.7000	KP-51
KP-8042 P1	DA	Ht.7000	KP-51
KP-8043 P1	SA	Ht.9000	KP-51
KP-8044 P1	DA	Ht.9000	KP-51



NAGA LIGHTING POLE

KP-8236

KP-8233 P1	SA	Ht.7000	KP-51
KP-8234 P1	DA	Ht.7000	KP-51
KP-8235 P1	SA	Ht.9000	KP-51
KP-8236 P1	DA	Ht.9000	KP-51



KALINGA FLACO LIGHTING POLE

KP-7531

KP-7531 P10	DA	Ht.7000	KP-51
KALINGA LIGHTING POLE			
KP-7532 P1	DA	Ht.7000	KP-51



NARNIA LIGHTING POLE

KP-8229

KP-8229 P1	SA	Ht.7000	KP-51
KP-8230 P1	SA	Ht.9000	KP-51



CONGO LIGHTING POLE

KP-51
KP-8065

KP-8062/63 P10	SA/DA	Ht.6000	
KP-8064/65 P10	SA/DA	Ht.7000	
KP-8066/67 P10	SA/DA	Ht.8000	
KP-8068/69 P10	SA/DA	Ht.9000	



DRAGON LIGHTING POLE

KP-51
KP-7202

KP-7216/17 P1	SA/DA	Ht.6000	
KP-7202/03 P1	SA/DA	Ht.9000	
KP-7204 P1	AA	Ht.9000	



HALO LIGHTING POLE

KP-7200

KP-7200 P1	SA	Ht.9000	KP-51
KP-7201 P1	DA	Ht.9000	KP-51

KNOTTY LIGHTING POLE		KP-8149		BULL HORN LIGHTING POLE		KP-8187		PELICAN LIGHTING POLE		KP-51 KP-7219		AMERICAN ORNA LIGHTING POLE - SWAGED		KP-8241				
	KP-8149 P1	SA	Ht.9000		KP-51	KP-8187 P9	SA		Ht.9000	KP-18	KP-7185/86 P1		SA/DA	Ht.7000	KP-8298 P1	SA	Ht.7000	KP-51
	KP-8150 P1	DA	Ht.9000		KP-51	KP-8188 P9	DA		Ht.9000	KP-18	KP-7188 P1		AA	Ht.7000	KP-8299 P1	DA	Ht.7000	KP-51
KP-8198 P1	AA	Ht.9000	KP-51	KP-8199 P9	AA	Ht.9000	KP-18	KP-7218/19 P1	SA/DA	Ht.9000	KP-8241 P1	SA	Ht.9000	KP-51				
								KP-7220 P1	AA	Ht.9000	KP-8242 P1	DA	Ht.9000	KP-51				

TWINKLE FLACO LIGHTING POLE		KP-8333		AMERICAN ORNA FLACO LIGHTING POLE		KP-8335		SNAXY FLACO LIGHTING POLE		KP-8337		AMERICAN ORNA FLACO LIGHTING POLE		KP-7525					
	KP-8333 P10	SA	Ht.5500		KP-51	KP-8335 P10	SA		Ht.5500	KP-51	KP-8337 P10		SA	Ht.5500	KP-51	KP-7524 P10	SA	Ht.7000	KP-51
	KP-8334 P10	DA	Ht.5500		KP-51	KP-8336 P10	DA		Ht.5500	KP-51	KP-8338 P10		DA	Ht.5500	KP-51	KP-7525 P10	DA	Ht.7000	KP-51

Base cover refer page no. 79

Architectural Lighting Poles



KP-8258 P1	SA	Ht.9000	KP-51
KP-8259 P1	DA	Ht.9000	KP-51



KP-8249 P1	SA	Ht.9000	KP-51
KP-8250 P1	DA	Ht.9000	KP-51



KP-8237 P1	SA	Ht.7000	KP-51
KP-8238 P1	DA	Ht.7000	KP-51
KP-8243 P1	SA	Ht.9000	KP-51
KP-8244 P1	DA	Ht.9000	KP-51



KP-8288 P1	SA	Ht.6000	KP-51
KP-8289 P1	DA	Ht.6000	KP-51
KP-8253 P1	SA	Ht.9000	KP-51
KP-8254 P1	DA	Ht.9000	KP-51



KP-8328 P11	SA	Ht.7300	KP-38
KP-8329 P11	DA	Ht.7300	KP-38



KP-8330 P11	SA	Ht.9000	KP-38
KP-8331 P11	DA	Ht.9000	KP-38
KP-8332 P11	FA	Ht.9000	KP-38



KP-8341 P11	SA	Ht.7000	KP-38
KP-8342 P11	DA	Ht.7000	KP-38



KP-8350 P10	SA	Ht.8000	KP-51.4
KP-8351 P10	DA	Ht.8000	KP-51.4

Base cover available at extra cost.



Shakeel Ahmed
9500 004769

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

PHILIPS
OSRAM
Panasonic
HAVELLS


EGLO
my light | my style

Jaquar
LIGHTING

8345 P17	FA	7000	KP-72.4
PELICAN ORION GEORGIA			
KP-8346 P17	SA	8000	KP-72.5
KP-8347 P17	DA	8000	KP-72.5
PELICAN ORION FURROW GEORGIA			
KP-8348 P17	SA	8000	KP-72.5
KP-8349 P17	DA	8000	KP-72.5



97 K-LITE




ELEGANCE FURROW FLORIAN

ELEGANCE FURROW FLORIAN			
ID	Arm	Height	Mounting
KP-8274 P11	SA	7000	KP-38
KP-8275 P11	DA	7000	KP-38


ELEGANCE FLORIAN			
ID	Arm	Height	Mounting
KP-8284 P11	SA	7000	KP-38
KP-8285 P11	DA	7000	KP-38

ELEGANCE			
ID	Arm	Height	Mounting
KP-8286 P1	SA	6000	KP-51
KP-8287 P1	DA	6000	KP-51
KP-8247 P1	SA	9000	KP-51
KP-8248 P1	DA	9000	KP-51


ELEGANCE FLACO			
ID	Arm	Height	Mounting
KP-7508 P10	SA	7000	KP-51
KP-7509 P10	DA	7000	KP-51




ELEGANCE - SWAGED



ELEGANCE FLORIAN



ELEGANCE FLACO




FRENCH FURROW FLORIAN

FRENCH FURROW FLORIAN			
ID	Arm	Height	Mounting
KP-8276 P11	SA	6000	KP-34
KP-8277 P11	DA	6000	KP-34


FRENCH FLORIAN			
ID	Arm	Height	Mounting
KP-8282 P11	SA	6000	KP-34
KP-8283 P11	DA	6000	KP-34

FRENCH			
ID	Arm	Height	Mounting
KP-8290 P1	SA	6000	KP-51
KP-8291 P1	DA	6000	KP-51
KP-8255 P1	SA	9000	KP-51
KP-8256 P1	DA	9000	KP-51


FRENCH FLACO			
ID	Arm	Height	Mounting
KP-7506 P10	SA	6000	KP-51
KP-7507 P10	DA	6000	KP-51




FRENCH - SWAGED



FRENCH FLORIAN



FRENCH FLACO



PELICAN ORION


ID	Arm	Height	Mountin
KP-7510 P1	SA	7000	⊗ KP-51
KP-7511 P1	DA	7000	KP-51
PELICAN ORION FLORIAN			
KP-7512 P11	SA	7000	KP-38
KP-7513 P11	DA	7000	KP-38
PELICAN ORION FLORIAN FURROW			
KP-7514 P11	SA	7000	KP-38
KP-7515 P11	DA	7000	KP-38
PELICAN ORION FLACO			
KP-7516 P10	SA	7000	KP-51
KP-7517 P10	DA	7000	KP-51

PELICAN ORION FLORIAN

PELICAN ORION - SWAGED

PELICAN ORION FLORIAN FURROW

PELICAN ORION FLACO



PELICAN ORNA FLORIAN

ID	Arm	Height	Mountin
KP-8308 P11	SA	7000	⊗ KP-38
KP-8309 P11	DA	7000	KP-38
KP-8310 P11	SA	8000	KP-38
KP-8311 P11	DA	8000	KP-38
KP-8312 P11	SA	9000	KP-38
KP-8313 P11	DA	9000	KP-38
PELICAN ORNA FLORIAN FURROW			
KP-7518 P11	SA	7000	KP-38
KP-7519 P11	DA	7000	KP-38
PELICAN ORNA			
KP-7520 P1	SA	7000	KP-51
KP-7521 P1	DA	7000	KP-51
PELICAN ORNA FLACO			
KP-7522 P10	SA	7000	KP-51
KP-7523 P10	DA	7000	KP-51

PELICAN ORNA - SWAGED

PELICAN ORNA FLORIAN

PELICAN ORNA FLORIAN FURROW

PELICAN ORNA FLACO

POLETYPE : P1 Swaged Pole. P10 Flaco Pole. P11 Florian Pole.

Shakeel Ahmed
9500 004769

PHILIPS
OSRAM
Panasonic
HAVELLS

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com


EGLO
my light | my style

Jaquar
LIGHTING

Area Lighting Poles

ID	Height	Arm Length	Mounting
KP-4717 P8	4570	300	KP-40
KP-4718 P8	4570	775	KP-40
KP-4719 P8	4570	1150	KP-40

ID	Height
KP-8322 P8	6000
KP-8323 P8	6000
KP-8324 P8	6000
KP-8119 P8	4570
KP-8122 P1	10000



KP-4717 - MERLIN

KP-4718 - MERLIN

KP-4719 - MERLIN

KP-8323 - MERLIN


KP-8119 - STREET PRINCE

KP-8122 - STREET KING

For 4 Luminaires add ` 3000



ID	Height	Arm Length	Mounting
KP-8131 P1	10000	2100	KP-51
KP-8120 P1	10000	2450	KP-51
KP-4723 P1	9500	1080	KP-51
KP-4724 P1	10000	1080	KP-51
KP-4704 P10	7000	1000	KP-51
KP-4707 P10	9000	1000	KP-51



KP-8131 - STREET KING


KP-8120 - STREET KING



KP-4723 - SPORT KING



KP-4724 - DUAL SPORT KING



KP-4704 / 07 - BUCIDA

Area Lighting Poles

Shakeel Ahmed
9500 004769



Galaxy Lights
(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com





K-LITE


KP-1034 - TRAPEZIUM MAST




Option



KP-1036 - TRIO MAST



Option




KP-1035 - HEXA MAST





BRUSSEL

ID	Height	Pole Size	Wattage	Mounting
KP-1062	5000	Ø139.7 x Ø88.9	4 x 45W LED	KP-51
KP-1063	7000	Ø139.7 x Ø88.9	8 x 45W LED	KP-51
KP-1064	5000	Ø139.7 x Ø88.9	3 x 45W LED	KP-51
KP-1065	7000	Ø139.7 x Ø88.9	4 x 45W LED	KP-51
KP-1066	6000	Ø139.7 x Ø88.9	6 x 45W LED	KP-51



Connect the luminaires, before connecting to Mains

Area Lighting Poles


POLAR MOON MICRO MAST

ID	Height	Wattage	Mounting
KP-4713 P8	5000	6 x 45W LED	KP-51
KP-4725 P8	5000	8 x 45W LED	KP-51




Ring Option :

- Signal Red
- Oxford Blue
- Golden Yellow



ID	Height	Wattage	Mounting
KP-4708 P5	7000	6 x 60W LED	KP-57.5
KP-4769 P5	9000	8 x 60W LED	KP-57.8
KP-4770 P5	10000	8 x 60W LED	KP-57.8
KP-8326 P5	9000	4 x 60W LED	KP-57.8
KP-8327 P5	10000	4 x 60W LED	KP-57.8



POLAR MICRO MAST


POLAR MICRO MAST

Shakeel Ahmed
9500 004769

Galaxy Lights

(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com



KAYAL

4148	30W LED	D6 Ø166 x 246 x 60
4149	45W LED	D2 Ø273 x 353 x 82



JAMAL - CURVY (LEFT / RIGHT)

5134/36	1 x 50W LED	D2 Ø488 x 192
5135/37	2 x 50W LED	



VECTRA

4152	2 x 50W LED	D2 605 x 420 x 180
4153	3 x 50W LED	
4298	4 x 50W LED	

QUADRA MAST

QUADRA MAST

ID	Height	Mountin
KP-1037 P5	7000	Ⓢ KP-57.5
KP-1038 P5	9000	KP-57.8

SPIRO MAST

KP-1032 P1	7000	KP-30
KP-1031 P1	9000	KP-30

JAVIER LIGHTING POLE

KP-3856 P7	5000	KP-51
KP-3857 P7	6000	KP-65

SPIRO MAST

JAVIER LIGHTING POLE

105 K-LITE





Smart City Pole


K-Lite proudly announces the introduction of smart city poles (Intelligent poles) with its modular solution, to cater to the needs of the expanding urban spaces.

The smart city pole is going to be a service platform for various services for Network redundancy, application areas such as mobile connectivity (WLAN), traffic control, security camera (CCTV), information transfer, public announcement with loud speakers, smart parking, environmental monitoring and even the electric charger for cars etc.



For technical specification refer @ www.klite.in


LIGHT MODULE
 ID : 4740
 Wattage : 45W LED
 CCT : 2700-6500
 Material : PC diffuser,
 aluminium reflector with SS
 knob
 Beam Angle : 24° / 45°

LIGHT MODULE
 ID : 4741
 Wattage : 50W LED
 CCT : 2700-6500
 Material : PC diffuser,
 aluminium reflector with SS
 knob


LIGHT MODULE
 ID : 4738
 Wattage : 30W LED
 CCT : 2700-6500
 Material : PC diffuser





CCTV MODULE
 ID : 4742
 Material : PC diffuser



LOUDSPEAKER MODULE
 ID : 4743



WLAN MODULE
 ID : 4744

**BASE PIPE WITH
 EV CHARGER POINT**
 ID : 4745 1.5mts
 ID : 4746 height
 2mts
 height

NOTE : Price exclusive of charger Kit, Speaker Kit, WLAN Kit, CCTV Kit

Customization available on request

More Modules are being added to this range.

Shakeel Ahmed
9500 004769

PHILIPS
OSRAM
Panasonic
HAVELLS

Galaxy Lights


(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

EGLO
my light | my style

Jaquar
LIGHTING

Area Lighting Poles



Cassini High Mast

KP-1017 6 Ht.12000 KP-55

Colour : Signal Red



Octavia High Mast

KP-1018 6 Ht.16000 KP-55

Colour : White / OffWhite / Signal Red



Polygonal High Mast

KP-1011 6 Ht.12000 KP-55











KP-1012 9 Ht.16000

KP-1013/14 12 / 9 Ht.20000

Colour : Suzuki Silver



Illustrative Symbols

Icon	Description	Icon	Description
	Protection against contact with fingers and solid foreign bodies $\varnothing > 12\text{mm}$. no protection against water.		No Maintenance for LED's.
	Protection against solid foreign bodies $\varnothing > 2.5\text{mm}$. no protection against water.		10KV Surge Protection.
	Protection against solid foreign bodies $\varnothing > 1\text{mm}$. no protection against water.		15KV Surge Protection.
	Protection against contact and interior dust deposit. Protection against splashing water from all directions.		Luminaire with CE certification.
	Full protection against contact and penetration of dust. Protection against water(out of a nozzle)from all directions.		Dimmable Driver.
	Full protection against contact and penetration of dust. Protection against temporary immersion.		Luminaire with tiltable option.
	Full protection against contact and penetration of dust. Protection against long term immersion.		Input Voltage.
	All LED Driver are BIS certified.		Symmetrical Light Distribution.
	All LED's are energy saving.		Asymmetrical Light Distribution.
	All LED's have sustainability.		

Review of Applied Symbols

LUMINAIRES

N4 Separate control gear box if desired, can be given at extra cost on request.
 N5 To be used with power supply unit of suitable rating.
 N6 To be used with controller (amplifier, if needed) and power supply unit(s).
 N7 Armstrong / Gypsum / 'T' Section False Ceiling - 600 Series. N8 Supplied with adjustable stainless steel suspension kit (1metre). N9 Musical Arrangement
 N10 Polycarbonate Base.
 N11 Up / Down Lighter.
 N12 UpDown Lighter.
 N13 Down Lighter.

C.O.D : Cutout Dimension.

O.A.D : Over All Dimension.

WW : Warm White (2700-3000K).

NW : Neutral White (4000-4200K).

CW : Cool White (6000-6300K).

SS : Stainless Steel Body.

CGB : Control Gear Box.

TR : Translucent.

LC : Louvre Clear.

LCP : Louvre Clear Prism.

T1 Track to be ordered separately.

R1 Rates offered are exclusive of poles and brackets.

S10 Supplied with 10KV surge protection device.

POLETYPE

























P1 Swaged pole P5 Quadra pole P8 Flat pole P10 Flaco pole P12 Bishop pole P14 Colombia pole P16 Circular Aluminium pole
 P2 Conical pole P7 Circular pole P9 Slice pole P11 Florian pole P13 Causeway pole P15 Missile pole P17 Georgia pole

K-LITE 110

MOUNTING DETAILS

D1 Post Top Lantern suitable for mounting on 50mm OD pipe.
 D2 Luminaires suitable for mounting on 60mm OD Pipe.
 D3 Post Top Lantern suitable for mounting on 76mm OD pipe.
 D4 Suitable for mounting to internally threaded pipe of designation : M30.
 D6 Suitable for mounting on 38mm OD pipe.
 D7 Suitable for mounting Horizontal on 48mm & Vertical on 60mm OD pipe.
 D8 Bracket suitable for mounting on Swaged pipe to 52mm OD of 200mm Height.
 D11 Suitable for mounting Horizontal 60mm OD pipe & Vertical 76mm OD pipe D12 Suitable for mounting Horizontal & Vertical on 60mm OD pipe.
 D13 Suitable for mounting on 101mm OD pipe.
 D14 Suitable for mounting Horizontal & Vertical on 48mm OD pipe.
 D15 Suitable for mounting on 70mm Square pipe.
 D16 Suitable for mounting on 90mm Square pipe.
 D17 Suitable for mounting on swaged pipe to 52mm OD of 100mm Height.
 D20 Suitable for mounting to internally threaded pipe of designation : M20
 D21 Suitable for mounting on swaged pipe to 52mm OD of 140mm Height.
 D22 Suitable for mounting on swaged pipe to 68mm OD of 140mm Height.
 D23 Suitable for mounting on swaged pipe to 81mm OD of 140mm Height.
 D25 Suitable for mounting on swaged pipe to 52mm OD of 180mm Height.
 D26 Luminaires suitable for mounting on 88.9mm OD Pipe.
 D27 Suitable for side mounting on 100mm Square pipe.
 D28 Suitable for side mounting on 80mm Square pipe.

Floor Mounting Luminaires - Mounting Details










Anchor Fastners, Coach screws and Rawl plugs are not included in scope of supply.

Galaxy Lights

















(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com





Base Plate Details














Wall Brackets - Mounting Details











Anchor Fasteners, Coach screws and Rawlplugs are not included in scope of supply.



Wall Brackets - Mounting Details
























Poles - Mounting Details




Anchor Fasteners, Coach screws and Rawlplugs are not included in scope of supply.

Base Plate Details




Anchor Fastners, Coach screws and Rawl plugs are not included in scope of supply.

Poles - Mounting Details




KP-51

Figure	Pole Height	Base plate (A)	Cable Entry Hole (B)	No.of holes/ bolts (C)	CC (D)				
KP-51.1	5000	□250 x 12thk	∅70	4	180				
KP-51.2	6000	□250 x 12thk	∅70	4	180				
KP-51.3	7000	□300 x 16thk	∅70	4	215				
KP-51.4	8000	□300 x 16thk	∅70	4	215				
KP-51.5	9000	□300 x 16thk	∅70	4	215	M20	500	300	295 x 85
KP-51.6	10000	□400 x 16thk	∅125	4	300	M20	700	300	295 x 85
KP-51.7	11000	□400 x 16thk	∅125	4	300	M20	700	300	295 x 85
KP-51.8	12000	□400 x 16thk	∅125	4	300	M24	1000	300	295 x 85




KP-55

Figure	Pole Height	Base plate (A)	Cable Entry Hole (B)	No.of holes/ bolts (C)	PCD (D)	Bolt (E)	Length (F)	Junction box from base plate (G)	Electrical junction box (H)
KP-55.1	12000	∅500 x 20thk	∅314	6	410	M24	1000	500	300 x 1000
KP-55.2	16000	∅540 x 25thk	∅344	8	460	M24	1000	500	300 x 1200
KP-55.3	20000	∅600 x 25thk	∅392	12	500	M24	1200	500	300 x 1200
KP-55.4	25000	∅740 x 25thk	∅482	12	620	M24	1200	500	300 x 1200
KP-55.5	30000	∅850 x 25thk	∅590	16	730	M24	1200	500	300 x 1200




KP-56

Figure	Base plate (A)	Cable Entry Hole (B)	No.of holes/ bolts (C)	CC (D)	Bolt (E)	Length (F)	Junction box from base plate (G)	Electrical junction box (H)
KP-56.1	□200 x 12thk	∅70	4	140	M16	300	300	320 x 60
KP-56.2	□200 x 12thk	∅70	4	140	M16	300	300	330 x 75
KP-56.11	□200 x 12thk	∅70	4	140	M16	300	210	330 x 75




KP-57

Figure	Base plate (A)	Cable Entry Hole (B)	No.of holes/ bolts (C)	CC (D)	Bolt (E)	Length (F)	Junction box from base plate (G)	Electrical junction box (H)
KP-57.3	□250 x 12thk	∅70	4	180	M16	500	300	320 x 60
KP-57.4	□250 x 12thk	∅70	4	180	M16	500	300	330 x 75
KP-57.5	□300 x 16thk	∅70	4	215	M20	500	300	330 x 75
KP-57.7	□300 x 16thk	∅70	4	215	M20	500	300	330 x 75
KP-57.8	□400 x 16thk	∅125	4	300	M20	700	300	330 x 75



KP-58

Figure	Height	Base plate (A)	Cable Entry Hole (B)	No.of holes/ bolts (C)	CC (D)	Bolt (E)	Length (F)	Junction box from base plate (G)	Electrical junction box (H)
KP-58.1	6000	400 x 300 x 16thk	160 x 80	4	300 x 200	M20	500	300	330 x 75
KP-58.2	7000	400 x 300 x 16thk	160 x 80	4	300 x 200	M20	500	300	330 x 75
KP-58.3	8000	400 x 300 x 16thk	160 x 80	4	300 x 200	M20	500	300	330 x 75
KP-58.4	9000	400 x 300 x 16thk	160 x 80	4	300 x 200	M20	500	300	330 x 75



KP-72

Figure	Pole Height	Base plate (A)	Cable Entry Hole (B)	No.of holes/ bolts (C)	CC (D)	Bolt (E)	Length (F)	Junction box from base plate (G)	Electrical junction box (H)
KP-72.1	4000	□200 x 12thk	∅70	4	140	M16	300	520	295 x 85
KP-72.2	5000	□250 x 12thk	∅70	4	180	M16	500	520	295 x 85
KP-72.3	6000	□250 x 12thk	∅70	4	180	M16	500	520	295 x 85
KP-72.4	7000	□300 x 12thk	∅70	4	215	M20	500	520	295 x 85
KP-72.5	8000	□300 x 16thk	∅70	4	215	M20	500	520	295 x 85
KP-72.6	9000	□300 x 16thk	∅70	4	215	M20	500	520	295 x 85
KP-72.7	10000	□400 x 16thk	∅125	4	300	M20	700	520	295 x 85
KP-72.8	11000	□400 x 16thk	∅125	4	300	M20	700	520	295 x 85
KP-72.9	12000	□400 x 16thk	∅125	4	300	M24	1000	520	295 x 85