

PHILIPS

Professional Lighting

LED Price List 2017



**Your Vision.
Our Solutions.**

Effective Feb, 2017

Shakeel Ahmed
9500 004769

Galaxy Lights
(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

PHILIPS

OSRAM

Panasonic

HAVELLS

EGLO
my light | my style

Jaquar
LIGHTING

Index

Indoor Commercial	
Suspended-Surface Mounted Luminaires	08
Retail	
Downlighters	20
Recessed Adjustable	27
Track Lighting	28
Trunking	29
Indoor Industrial	
LED Battens	32
Weatherproof	33
Highbay Luminaires	34
Cleanroom, Bulkhead and Wellglass	37
Outdoor Luminaires	
Street Lighting Luminaires	40
Area lighting	44
LED lamps	
Tubes	52

Philips LED lighting

Leading the market today,
transforming the future.

Philips has been designing, developing and manufacturing LED lighting products resulting in a far reaching intellectual property portfolio and more than 20,000 time-tested installations. We have strengthened our leadership position and revenue generation in the LED Lighting market with solutions across segments, office, retail, industry and public. We are leaders in technology and product performance in the LED lighting industry and are a confident choice of lighting specifiers across the globe.



Indoor Commercial

Shakeel Ahmed
9500 004769

Galaxy Lights
(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

PHILIPS
OSRAM
Panasonic
HAVELLS
EGLO
my light | my style
Jaquar
LIGHTING



Indoor Commercial

Suspended-Surface Mounted Luminaires



PureLine

The Pure Line family of luminaires gives you compromise-free office illumination. It offers both general and office area lighting in identical enclosures.

Type	MRP (INR)
SP680P LED39S 6500 PSU WH L120 S1	7000
SP680X1 LED39S 6500 PSU WH L120 S1	7000
SP680X2 LED39S 6500 PSU WH L120 S1	7000
SP680P LED78S 6500 PSU WH L240 S1	14000
SP680X1 LED78S 6500 PSU WH L240 S1	14000
SP680X2 LED78S 6500 PSU WH L240 S1	14000
SP680 End Kit	On request
ZPH 524 Suspension kit	On request



LineLight

LineLight is a perfect blend of the latest LED technology and efficient optics ensuring perfectly uniform illumination and unparalleled light distribution.


Type	MRP (INR)
SP310X LED 22S-6500 PSU OD WH	6500
SP310X LED 22S-6500 PSU OD GR	8200
SP310X LED 22S-6500 PSD OD WH	9000
SP310X LED 22S-6500 PSD OD GR	9000
ZTX310 EP WHITE	300
ZTX310 EP GREY	300

Also available in 4000 CCT. Suspension kit to be ordered separately.



Indoor Commercial

Suspended-Surface Mounted Luminaires



Chopstick

Chopstick offers small size with big lighting performance and a price point that makes it ideal for use in many different types of spaces.

Type	MRP (INR)
SP525P LED48S-6500 PSU WH	14000
SP525P LED36S-6500 PSU WH	12000
SP525P LED48S-6500 PSD WH	15000
SP525P LED36S-6500 PSD WH	13000
SP525X LED48S-6500 PSU WH	14000
SP525X LED36S-6500 PSU WH	12000
SP525X LED48S-6500 PSD WH	15000
SP525X LED36S-6500 PSD WH	13000
SP525X END KIT	150

Suspension kit to be ordered separately.



Sereno

Sereno is a high efficiency suspended LED luminaire. The luminaire has a high transmittivity opal diffuser for diffused lighting.


Type	MRP (INR)
SP824 P LED 30S-5000 GR OA	8000

Also available in 4000 CCT. Suspension kit to be ordered separately.



Indoor Commercial

Suspended-Surface Mounted Luminaires



Cirrus surface mounted

Cirrus is an energy efficient luminaire suitable for 2x2 grid ceiling. The luminaire comes in two colors Grey (GR) and White (WH) in combination with profiled and flat diffuser.

Type	MRP (INR)
SM365C LED33-6500 PSU U-OD GR	5100
SM365C LED33-6500 PSU U-OD WH	5100
SM366C LED33-6500 PSU-OD GR	5100
SM366C LED33-6500 PSU-OD WH	5100

Also available in 4000 CCT.



Cirrus Mini Pro

Cirrus Mini Pro LED lighting solution for general indoor lighting.

Type	MRP (INR)
SM200C LED16S 6500 PSU OD WH	3100
SM200C LED15S 4000 PSU OD WH	3100
SM200C LED11S 6500 PSU OD WH	2450
SM200C LED10S 4000 PSU OD WH	2450



Astra

Astra is a surface & wall mounted LED batten with extruded aluminium housing and robust construction.

Type	MRP (INR)
BN150W LED13S-6500 PSE OD GR	2100
BN150W LED20S-6500 PSE OD GR	2800

Indoor Commercial

Suspended-Surface Mounted Luminaires



SmartBright

SmartBright is a reliable and affordable system that delivers up to 40%* energy savings.

Type	MRP (INR)
BN021C LED20S PSU NWGR	850
BN021C LED20S PSU CDL GR	850
BN021 LED10S-6500 PSU GRS1	570
BN021 LED10S-4000 PSU GRS1	570



FullGlow-High efficiency

FullGlow is a beautifully designed luminaire which is bound to delight the occupants with refreshing and comfortable experience through its pure form and glare-free light.

Type	MRP (INR)
RC380B LED30S-6500 L60W60 PSU ODS1	4500
RC380B LED30S-4000 L60W60 PSU ODS1	4500
RC380B LED34S-6500 L60W60 PSU ODS1	5500
RC380B LED34S-4000 L60W60 PSU ODS1	5500
RC380B LED30S-6500 L60W60 PSD ODS1	5500
RC380B LED30S-4000 L60W60 PSD ODS1	5500
RC380B LED34S-6500 L60W60 PSD ODS1	6500
RC380B LED34S-4000 L60W60 PSD ODS1	6500

Indoor Commercial

Suspended-Surface Mounted Luminaires



SmartGlow

SmartGlow is an intelligent office lighting system with an inbuilt sensor thus avoids unwanted hassle of creating space for sensors. The inbuilt sensor helps save additional 40% energy as compared to other LED panels.

Type	MRP (INR)
RC383B LED 36S-6500 PSU OD WH PIR	6000
RC383B LED 28S-6500 PSU OD WH PIR	6000
RC383B LED 36S-4000 PSU OD WH PIR	6000
RC383B LED 28S-4000 PSU OD WH PIR	6000



Stone and Balance

FullGlow is a beautifully designed luminaire which is bound to delight the occupants with refreshing and comfortable experience through its pure form and glare-free light.

Type	MRP (INR)
RC381B LED 28S-6500 G3 PSU OD	7000
RC381B LED 28S-4000 G3 PSU OD	7000
RC382B LED 28S-6500 G3 PSU OD	7000
RC382B LED 28S-4000 G3 PSU OD	7000
RC381B LED 28S-6500 G3 PSD OD	8000
RC381B LED 28S-4000 G3 PSD OD	8000
RC382B LED 28S-6500 G3 PSD OD	8000
RC382B LED 28S-4000 G3 PSD OD	8000

Indoor Commercial

Suspended-Surface Mounted Luminaires



FullIGlow

FullGlow is a beautifully designed luminaire which is bound to delight the occupants with refreshing and comfortable experience through its pure form and glare-free light.

Type	MRP (INR)
RC380B LED 32S-6500 L120W30 PSU OD	6500

Also available in 4000 CCT



FullIGlow

FullGlow is a beautifully designed luminaire which is bound to delight the occupants with refreshing and comfortable experience through its pure form and glare-free light.

Type	MRP (INR)
RC380B LED 34S-6500 G3 PSD OD	6800
RC380B LED 29S-6500 G3 PSD OD	6000
RC380B LED 34S-4000 G3 PSD OD	6800
RC380B LED 29S-4000 G3 PSD OD	6000
RC380B LED 34S-6500 G3 PSU OD	5000
RC380B LED 29S-6500 G3 PSU OD	4500
RC380B LED 34S-4000 G3 PSU OD	5000
RC380B LED 29S-4000 G3 PSU OD	4500

Also available in 4000 CCT



GreenSquare

GreenSquare is a perfect office light that is advanced, energy efficient and compliments interiors.

Type	MRP (INR)
RC140B LED 31S-6500 PSE WH 220-240V 50HZ	4400

Available in 4000 CCT

Indoor Commercial

Suspended-Surface Mounted Luminaires



GreenSquare II

GreenSquare Gen II LED luminaire from Philips consumes significantly less energy, has longer life, low TCO and lower operational cost. It is a smart choice for offices.

Type	MRP (INR)
RC170B LED29S-6500 PS E WH	4080
RC170B LED28S-4000 PS E WH	4080




Dayline

Dayline is an efficient luminaire which saves up to 50%* energy.

Type	MRP (INR)
RC240B LED34S-6500 PSU OD WH	4800
RC240B LED34S-6500 PSD OD WH	6500

Also available in 4000 CCT



Cirrus

Cirrus is an LED office general lighting solution which offers excellent energy saving and maintenance free operation.

Type	MRP (INR)
RC365B LED33-6500 PSU OD WH	4800
RC365B LED33-6500 PSU OD GR	4800
RC366B LED33-6500 PSU OD WH	4800
RC366B LED33-6500 PSU OD GR	4800

Available in 4000 and 5000 CCT. DALI version also available

Indoor Commercial

Suspended-Surface Mounted Luminaires




LineLight

LineLight is a perfect blend of the latest LED technology and efficient optics ensuring perfectly uniform illumination and unparalleled light distribution.

Type	MRP (INR)
RC311B LED22S-6500 PSU OD WH	6000
RC311B LED22S-6500 PSU OD GR	6000
RC311B LED22S-6500 PSD OD WH	8300
RC311B LED22S-6500 PSD OD GR	8300
ZTX310 EP WHITE	300
ZTX310 EP GREY	300

Also available in 4000 CCT




Sereno

Sereno is a high efficiency recessed LED luminaire.

Type	MRP (INR)
RC869B LED 27S-6500 W60L60 D8 GR	6500
RC869B LED 27S-4000 PS E W60L60 D8 GR	6500

Also available in 4000 CCT



Sereno

Sereno is a high efficiency recessed LED luminaire.

Type	MRP (INR)
RC869B LED 30S-6500 PS E W30L120 D8 GR	7000
RC869B LED 30S-6500 PS E W30L120 D8 WH	7000

Also available in 4000 CCT

Retail

Shakeel Ahmed
9500 004769

Galaxy Lights
(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

PHILIPS
OSRAM
Panasonic
HAVELLS
EGLO
my light | my style
Jaquar
LIGHTING



Retail

Downlighters



GreenLED

A low glare, high efficiency recessed mounted LED downlight.

Type	MRP (INR)
BBS1 70 1xDLED -5000 PSU WH	1715
Also available in 4000 CCT	



GreenLED Square

A low glare, high efficiency recessed mounted LED downlight.

Type	MRP (INR)
BBS1 75 1xDLED -5000 PSU WH	1715
Also available in 4000 CCT	



GreenLEDi Spot

GreenLEDi range combines modern product design, the latest LED technology and reliable heat management to deliver a long lasting efficient solution for offices and retail spaces.

Type	MRP (INR)
DN1 90B LED3S-6500 PSU WH	1400
DN1 89B LED3S-6500 PSU WH MB	1500
Also available in 3000 and 4000 CCT. DN1 89 also available in narrow beam option	



Retail

Downlighters



GreenLEDi

GreenLEDi range combines modern product design, the latest LED technology and reliable heat management to deliver a long lasting efficient solution for offices and retail spaces.

Type	MRP (INR)
DN191B LED6S-6500 PSUWHS1	1300
DN191B LED6S-6500 PS U WH S1	1415
DN192B LED9S-6500 PS U WH S1	1765
DN193B LED12S-6500 PSU WH S1	2200
DN194B LED15S-6500 PSU WH S1	2750
DN195B LED20S-6500 PS U WH S1	3300

Also available in 4000 CCT.



GreenSpot Gen 2

Range of adjustable recessed spot lighting with multiple beam options

Type	MRP (INR)
DN311B LED6S-4000 PSU MB WH	3250
DN311B LED12S-4000 PSU MB WH	3550
DN311B LED6S-5000 PSR MB WH	3300
DN311B LED6S-5000 PSU MB WH	3000
DN311B LED12S-5000 PSR MB WH	3800
DN311B LED12S-5000 PSU MB WH	3500

Wide beam option also available.

Retail

Downlighters



GreenLED Surface Mounted

Smart surface mounted LED downlight for modern interiors.

Type	MRP (INR)
DN170C LED10S-6500 PSU WH	2560

Also available in 4000 and 3000 CCT



GreenLED Ultima

GreenLED Ultima brings together best quality light and aesthetic design.

Type	MRP (INR)
DN091B LED6S-6500 PSU WH	1580
DN092B LED10S-6500 PSU WH	1980

Available in 3000 and 4000 CCT.



GreenLED Ultima Square

GreenLED Ultima brings together best quality light and aesthetic design.

Type	MRP (INR)
DN096B LED6S-6500 PSU WH	1580
DN097B LED10S-6500 PSU WH	1980

Available in 3000 and 4000 CCT.

Retail

Downlighters



GreenPerform

A range of recessed mounted LED down lights with the option for dimming solutions.

Type	MRP (INR)
DN 391 B LED6S-6500 PSU WH	1650
DN 392B LED10S-6500 PSU WH	1950
DN 393B LED12S-6500 PSU WH	2350
DN 394B LED16S-6500 PSU WH	2700
DN 395B LED20S-6500 PSU WH	3300

Also available in 4000 and 3000 CCT



GreenPerform Analog Dimmable

A range of recessed mounted LED down lights with the option for dimming solutions.

Type	MRP (INR)
DN 391 B LED6S-6500 PSR WH	2200
DN 392B LED10S-6500 PSR WH	2600
DN 393B LED12S-6500 PSR WH	2700
DN 394B LED16S-6500 PSR WH	3200
DN 395B LED20S-6500 PSR WH	3550

Also available in 4000 and 3000 CCT

Retail

Downlighters



GreenPerform Phase Cut

A range of recessed mounted LED down lights with the option for dimming solutions.

Type	MRP (INR)
DN 391 B LED6S-6500 PSR-P WH	2200
DN 392B LED10S-6500 PSR-P WH	2600
DN 393B LED12S-6500 PSR-P WH	2700
DN 394B LED16S-6500 PSR-P WH	3200
DN 395B LED20S-6500 PSR-P WH	3550

Also available in 4000 and 3000 CCT



GreenPerform DALI

A range of recessed mounted LED down lights with the option for dimming solutions.

Type	MRP (INR)
DN 392B LED 10S-6500 PSD WH	4800
DN 393B LED 12S-6500 PSD WH	4400
DN 394B LED 16S-6500 PSD WH	5000
DN 395B LED 20S-6500 PSD WH	5500

Also available in 4000 and 3000 CCT



Retail

Recessed Adjustable



EcoAccent

EcoAccent delivers powerful, good-quality accent lighting, enabling retailers to display their goods in the very best light.

Type	MRP (INR)
RS 271 B LED20/830 PSU-E NB WH	6500
RS 271 B LED20/830 PSU-E MB WH	6500
RS 271 B LED20/830 PSU-E WB WH	6500
RS 271 B LED20/840 PSU-E NB WH	6500
RS 271 B LED20/840 PSU-E MB WH	6500
RS 271 B LED20/840 PSU-E WB WH	6500
RS 271 B LED20/850 PSU-E NB WH	6500
RS 271 B LED20/850 PSU-E WB WH	6500
RS 271 B LED40/830 PSU-E MB WH	6500
RS 271 B LED40/840 PSU-E MB WH	6500
RS 271 B LED40/850 PSU-E MB WH	6500
RS 271 B LED40/850 PSU-E WB WH	6500
RS 271 B LED40/840 PSU-E WB WH	6500
RS 271 B LED40/830 PSU-E WB WH	6500
RS 271 B LED20/850 PSU-E MB WH	6500

Retail

Track Lighting



EcoAccent Track

EcoAccent delivers powerful, good-quality accent lighting, enabling retailers to display their goods in the very best light.

Type	MRP (INR)
ST271T LED20/830 PSU-E NB 1C BK	6500
ST271T LED20/830 PSU-E MB 1C BK	6500
ST271T LED20/830 PSU-E WB 1C BK	6500
ST271T LED20/840 PSU-E MB 1C BK	6500
ST271T LED20/850 PSU-E MB 1C BK	6500
ST271T LED20/830 PSU-E MB 1C WH	6500
ST271T LED20/840 PSU-E MB 1C WH	6500
ST271T LED20/840 PSU-E WB 1C BK	6500
ST271T LED20/850 PSU-E WB 1C BK	6500
ST271T LED20/840 PSU-E NB 1C BK	6500
ST271T LED40/830 PSU-E NB 1C BK	7000
ST271T LED40/830 PSU-E WB 1C BK	7000
ST271T LED40/840 PSU-E NB 1C BK	7000
ST271T LED40/840 PSU-E MB 1C BK	7000
ST271T LED40/840 PSU-E WB 1C BK	7000
ST271T LED40/850 PSU-E MB 1C BK	7000
ST271T LED40/850 PSU-E WB 1C BK	7000
ST271T LED40/840 PSU-E MB 1C WH	7000
ST271T LED40/830 PSU-E MB 1C WH	7000
ST271T LED40/850 PSU-E NB 1C BK	7000

Retail

Trunking



Optimus LED Trunking

Optimus LED Trunking offers upto 45%* energy saving. Long service life solutions for hypermarkets/ warehouses and distribution centers.

Type	MRP (INR)
LL199X 1XDLED40-4000 PSE OD WH	4500
LL199X 1XDLED40-6500 PSE OD WH	4500
LL199X 1XDLED57-3000 PSE OD WH	6200
LL199X 1XDLED57-4000 PSE OD WH	6200
LL199X 1XDLED57-6500 PSE OD WH	6200
TTX199/03LED	3000
TTX199/01 LED	1000
TTX199/01 LED	1700
ZTX199 BC LED	350
Also available in IP54 version on request	

Indoor Industrial

Shakeel Ahmed
9500 004769

Galaxy Lights
(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

PHILIPS
OSRAM
Panasonic
HAVELLS
EGLO
my light | my style
Jaquar
LIGHTING



Indoor Industrial

LED Battens



GreenPerform

GreenPerform LED batten is an innovative, technology leading solution for replacement of conventional twin lamp battens

Type	MRP (INR)
BN208C LED40/CDL L1200 FR	4200
BN208C LED40/DL L1200FR	4200
BN208C LED40/NWL1200 FR	4200
BN208C LED40/WWL1200 FR	4200

Also available in DALI version



EnduraLED Batten

EnduraLED batten is a reliable and affordable system that delivers up to 40%* energy savings.

Type	MRP (INR)
BN108C LED 40S PSU CDL WH	3200
BN108C LED 40S PSU NW WH	3200
BN108C LED 20S PSU CDL WH	1950
BN108C LED 20S PSU NW WH	1950
Mounting Accessories	
AC108C MB S/A	100
AC108P MB S/A	100



TMC 501

Mounting rail for TLED lamps.

Type	MRP (INR)
TMC 501 P 1xT-LED 22WP3241	500
TMC 501 P 2xT-LED 22WP3242	600

Indoor Industrial

Weatherproof



Waterproof LED Luminaire

Surface/suspended mounted waterproof luminaire suitable for single and twin T8 TLED lamps.

Type	MRP (INR)
TCW450 P1XTLED 19WP3397	2200
TCW450 P 2XTLED 19WP3397	2500



EnduraLED Waterproof

EnduraLED waterproof is a reliable and affordable waterproof system that delivers up to 40%* energy savings compared to conventional lighting products.

Type	MRP (INR)
WT550 C LED 40S CWPSUS1 PC	5200

* Conditions apply

Indoor Industrial

Highbay Luminaires



MaXolid

High efficiency, low glare LED highbay for industrial applications which saves up to 60%* energy compared to conventional system.
Option of DAL and PC cover on request


Type	MRP (INR)
BY415PLED145SCWNBFGPSUGRS2	18000
BY415PLED145SCWWBFGPSUGRS2	18000
BY415PLED145SCWNBFGPSDGRS2	19000
BY415PLED145SCWWBFGPSDGRS2	19000



DuraLED Highbay

DuraLED Highbay provides an energy efficient lighting solution. The product family comes in lumen pack of 10klumen with a choice of narrow beam and wide beam optics.

Type	MRP (INR)
BY325PLED100SCWPSEGRFGNBPB	12000
BY325PLED100SCWPS EGRFGWBPB	12000



* Conditions apply

Indoor Industrial

Highbay Luminaires



GreenBay

GreenBay Gen II is an integrally designed, versatile lighting solution to address different lighting requirements like under canopy and highbay applications.

Type	MRP (INR)
BY400V LED72S CW AK PSU S2 FG WH	13500
BY400V LED145S CW AK PSU S2 FG WH	18500
BY400V LED72S CW SK PSU S2 FG WH	13500
BY400V LED110S CW SK PSU S2 FG WH	16500
BY400V LED145S CW SK PSU S2 FG WH	18500
BY400V LED72S CW SY60 PSU S2 FG WH	13500
BY400V LED110S CW SY60 PSU S2 FG WH	16500
BY400V LED145S CW SY60 PSU S2 FG WH	18500
BY400V LED72S CW SY110 PSU S2 FG WH	13500
BY400V LED110S CW SY110 PSU S2 FG WH	16500
BY400V LED145S CW SY110 PSU S2 FG WH	18500
BY400V LED110S CW AK PSU S2 FG WH	16500

Indoor Industrial

Cleanroom, Bulkhead and Wellglass Luminaire



Cleanroom LED

CleanroomLED is a range of recessed cleanroom luminaires using latest Philips LED platform to deliver leading efficacy and reliable performance.

Type	MRP (INR)
CR652B LED33S CR CW GT	8500
CR652B LED33S CR CW CA	8500
CR652B LED33S CR NW GT	8500
CR652B LED33S CR NW CA	8500
CR652B LED56S CR CW GT	10000
CR652B LED56S CR CW CA	10000
CR652B LED56S CR NW GT	10000
CR652B LED56S CR NW CA	10000

IP65 protection for GT and IP54 protection for CA variants



EnduraLED Bulkhead

An innovative and reliable LED solution that fits seamlessly in a variety of applications and serves as a simple energy efficient alternative to CFL/incandescent bulkhead luminaires.

Type	MRP (INR)
WT202W LED6S NW PSU S2 PC	1600
WT202W LED6S CW PSU S2 PC	1600



EnduraLED WellGlass

Innovative LED based well glass luminaire for direct replacement of 70W HPSV conventional fixtures. EnduraLED has the potential to save more than 40%* energy without compromising lighting parameters in the existing installation.

Type	MRP (INR)
BY200P LED 27S CW PSU S2 PC	4500
BY200P LED 35S CW PSU S2 PC	5000

Outdoor Luminaires

Shakeel Ahmed
9500 004769

Galaxy Lights
(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

PHILIPS
OSRAM
Panasonic
HAVELLS
EGLO
my light | my style
Jaquar
LIGHTING



Outdoor Luminaires

Street Lighting Luminaires



GreenLine Smart

GreenLine Smart luminaire is perfect for secondary roads and pathways. It sports a compact body, which offers a highly efficient lighting solution as compared to fluorescent and CFL street lights. IP66 protection.

Type	MRP (INR)
BRP022 LED 10CW MR S1 PSU GR	3300
BRP022 LED 20 CW MR S1 PSU GR	4000



SmartBright Street

Innovative street light which offers up to 70% energy saving and comes with IP65 protection and long life.

Type	MRP (INR)
BRP042 LED 19 CW MR S1 PSU GR	2500



GreenLine

GreenLine is a road lighting luminaire with high power LED and unique peanut lens to ensure uniform light distribution, higher spacing between poles and maintenance free system.

Type	MRP (INR)
BRP409 LED CW 036 MR FGS1 PSU GR	9200
BRP409 LED CW 035 NR FGS1 PSU GR	9200
BRP409 LED CW 034 MR PCS1 PSU GR	9000
BRP409 LED CW 033 NR PCS1 PSU GR	9000
BRP 409 LED 040 CW HO MR FGS1 PSU GR	8200
BRP 409 LED 039 CW HO NR FGS1 PSU GR	8200
BRP 409 LED 065 CW HE MR FG S1 PSU GR	11000
BRP 409 LED 064 CW HE NR FG S1 PSU GR	11000
BRP 409 LED 060 CW HE NR PC S1 PSU GR	11000



Outdoor Luminaires

Street Lighting Luminaires



GreenLine

GreenLine is a road lighting luminaire with high power LED and unique peanut lens to ensure uniform light distribution, higher spacing between poles and maintenance free system.

Type	MRP (INR)
BRP410 LED CW 072 MR FGS1 PSU GR	14600
BRP410 LED CW 069 NR FGS1 PSU GR	14600
BRP410 LED CW 068 MR PCS1 PSU GR	14400
BRP410 LED CW 066 NR PCS1 PSU GR	14400
BRP410 LED 094 CW HE MR FGS2 PSU GR	16000
BRP410 LED 092 CW HE NR FG S2 PSU GR	16000
BRP410 LED 091 CW HE MR PCS2 PSU GR	16000
BRP410 LED 088 CW HE NR PCS2 PSU GR	16000
BRP410 LED 110 CW HE MR FG S2 PSU GR	19000
BRP410 LED 107 CW HE NR FG S2 PSU GR	19000
BRP410 LED 104 CW HE MR PCS2 PSU GR	19000
BRP410 LED 100 CW HE NR PCS2 PSU GR	19000

Outdoor Luminaires

Street Lighting Luminaires



GreenLine Xtra

GreenLine Xtra is a high power LED and unique peanut lens with choice of optics to ensure uniform distribution, higher spacing between poles and maintenance free system, Ideal for road width upto 10 mts.

Type	MRP (INR)
BRP322 LED 128 CW HE MR FGS3 XT	25000
BRP322 LED 125 CW HE NR FGS3 XT	25000
BRP322 LED 122 CW HE MR PCS3 XT	24000
BRP322 LED 117 CW HE NR PCS3 XT	24000
BRP322 LED 147 CW HE MR FGS3 XT	26000
BRP322 LED 144 CW HE NR FGS3 XT	26000
BRP322 LED 140 CW HE MR PCS3 XT	25500
BRP322 LED 138 CW HE NR PCS3 XT	25500
BRP322 LED 177 CW HE MR FG S3 XT	35000
BRP322 LED 172 CW HE NR FG S3 XT	35000
BRP322 LED 215 CW HE MR FG S3 XT	38000
BRP322 LED 210 CW HE NR FG S3 XT	38000

Outdoor Luminaires

Area Lighting



FloodTune

FloodTune is easy to use, reliable and cost effective color changing outdoor flood light for creating dynamic lighting effects by just using your smart phone to control lights.

Type	MRP (INR)
BVP220 LED RGBW PC LILO	22000



Uniflood

Uniflood is integral flood light with driver inside a PDC housing. It is highly efficient, reliable and sturdy compared to similar LED, halogen and metal halide flood lights.

Type	MRP (INR)
BVP120 LED 35 CW FG S1 PSU GR	7500
BVP120 LED 70 CW NB FG S1 PSU GR	13500



Uniflood 2

Uniflood is integral flood light with driver inside a PDC housing. It is highly efficient, reliable and sturdy compared to similar LED, halogen and metal halide flood lights.

Type	MRP (INR)
BVP122 LED110 CW FLNB FG XTFC	22000
BVP122 LED128 CW FLNB FG XTFC	25000
BVP122 LED146 CW FLNB FG XTFC	28000

Outdoor Luminaires

Area Lighting



TempoLED

Flood lighting luminaire with high power LED and unique flood optics to ensure uniform distribution, and savings up to 50%* w.r.t conventional system and maintenance free system, ideal for area lighting, high mast and billboard.

Type	MRP (INR)
BVP410 LED 172 CW HE NB FG S3 XT	35000
BVP410 LED 210 CW HE NB FG S3 XT	40000
BVP410 LED 242 CW HF NB FG S3 XT	50000
BVP410 LED 165 CW HE SY20 FG S3 XTFC	35000
BVP410 LED 220 CW HE SY20 FG S3 XTFC	40000
BVP410 LED 255 CW HE SY20 FG S3 XTFC	50000
BVP410 LED 165 CW HE AK55 FG S3 XTFC	35000
BVP410 LED 215 CW HE AK55 FG S3 XTFC	40000
BVP410 LED 252 CW HE AK55 FG S3 XTFC	50000



LED Post Top

Affordable and stylish, robust and reliable post top lantern using LEDs. It has good light distribution and limited upward light component

Type	MRP (INR)
BGP161 LED2500/NW PSU 220-240V 7043 IN	20000
BGP161 LED2300/WW PSU 220-240V 7043 IN	20000

* Conditions apply

Outdoor Luminaires

Area Lighting



TownGuide

TownGuide offers extensive range of lumen packages and a choice of color temperatures, as well as a long lifetime and comparatively low power consumption.

Type	MRP (INR)
BDP001 ECO40-/830 DS PCC GR MSP 62P	31500
BDP001 ECO40-/840 DS PCC GR MSP 62P	31500
BDP102 ECO50-/830 DS PCC GR MSP 62P	44500
BDP102 ECO50-/830 DM PCC GR MSP 62P	44500
BDP102 ECO50-/840 DS PCC GR MSP 62P	44500
BDP102 ECO50-/840 DM PCC GR MSP 62P	44500



CityCube Post Top

Contemporary form and sleek presence makes it most suitable for all the modern buildings.

Type	MRP (INR)
BGP400 LED25 L CW PCS1	37500
BGP400 LED50 L CW PCS1	43000
BGP400 LED35 L CW MR FG S1	37500
BGP400 LED70 L CW MR FG S1	43000
BGP400 LED25 Y CW PCS1	43000
BGP400 LED50 Y CW PCS1	48000

Outdoor Luminaires


Area Lighting



CityCube Bollard

Contemporary form and sleek presence makes it most suitable for all the modern buildings.

Type	MRP (INR)
BCP400 LED09 T CW PSU GR S1	17000
BCP400 LED09 D CW PSU GR S1	11500
BCP400 LED04 U CW PSU GR S1	10000
BCP400 LED05 P CW PSU GR S1	11500



CityCube Wall Mount

Contemporary form and sleek presence makes it most suitable for all the modern buildings.

Type	MRP (INR)
BWS 400 LED05 H CW PSU GR S1	6000
BWS 400 LED05 V CW PSU GR S1	6000



LED Bollard

LED Bollard offers a high level of durability with high impact resistance. It is easy to install, comes with ingress protection and provides comfortable soft lighting.

Type	MRP (INR)
BCP150 LED150/WW PSU 220-240V 7043	11500
BCP151 LED150/WW PSU 220-240V 7043	12000
BCP150 LED150/NW PSU 220-240V 7043	11500
BCP151 LED150/NW PSU 220-240V 7043	12000

Outdoor Luminaires

Area Lighting



LED Uplite

LED Uplite is easy to install and comes with ingress protection. This product comes with suitable mounting options for varied applications

Type	MRP (INR)
BBP330 9xLED HP/NW 220-240V 12 1N	12500
BBP330 9xLED HP/NW 220-240V 24 1N	12500
BBP330 9xLED HP/NW 220-240V 60 1N	12500
BBP330 9xLED HP/WW 220-240V 12 1N	12500
BBP330 9xLED HP/WW 220-240V 24 1N	12500
BBP330 9xLED HP/WW 220-240V 60 1N	12500



LED Spot

Philips LED spot lights are ideal for replacing conventional spot lights and provide accent lighting for a variety of applications. Easy to install, these products come with suitable mounting options like spike, clips & surface mounting.

Type	MRP (INR)
BGP3103xLED- HP/WW 220-240V 12 1N	7000
BGP3103xLED- HP/WW 220-240V 24 1N	7000
BGP3103xLED- HP/WW 220-240V 36 1N	7000
BGP3103xLED- HP/NW 220-240V 12 1N	7000
BGP3103xLED- HP/NW 220-240V 24 1N	7000
BGP3113xLED- HP/NW 220-240V 36 1N	7000
BGP3113xLED- HP/WW 220-240V 12 1N	7000
BGP3113xLED- HP/WW 220-240V 24 1N	7000
BGP3113xLED- HP/WW 220-240V 36 1N	7000
BGP3113xLED- HP/NW 220-240V 12 1N	7000
BGP3113xLED- HP/NW 220-240V 24 1N	7000
BGP3113xLED- HP/NW 220-240V 36 1N	7000

Outdoor Luminaires


Area Lighting



LED Marker

LED marker offers high level of durability with high impact resistance, are easy to install and come with ingress protection. It also comes equipped with suitable mounting box.

Type	MRP (INR)
BBG150 LED50/WW PSU 220-240V IP67	6000
BBG150 LED50/NW PSU 220-240V IP67	6000
BBG151 LED50/WW PSU 220-240V IP67	6000
BBG151 LED50/NW PSU 220-240V IP67	6000



LED Step Light

LED marker offers high level of durability with high impact resistance, are easy to install and come with ingress protection. It also comes equipped with suitable mounting box.

Type	MRP (INR)
BWG150 LED50/WW PSU 220-240V IP67 7043	7000
BWG150 LED50/NW PSU 220-240V IP67 7043	7000

LED Lamps

Shakeel Ahmed
9500 004769

Galaxy Lights
(Complete Lighting Solutions)

138, Chamiers Road,
Nandanam, Chennai - 35.
(Between : Thevar Statue & Times of India)
Email : galaxylightsid@gmail.com
shakeelid@gmail.com

PHILIPS
OSRAM
Panasonic
HAVELLS
EGLO
my light | my style
Jaquar
LIGHTING



LED Lamps

Tubelight



Master LEDtube

Philips MASTER LEDtube integrates LED light source with frosted cover design into traditional linear fluorescent form delivering 50%* energy saving.

Type	MRP (INR)
MAS LEDtube 1200mm 13W865 T8 I IN30	800
MAS LEDtube 1200mm 18W865 T8 I	900
Essential LEDtube 1200mm 16W 865 T8 I	700



South

Philips Lighting India Ltd,

Sunny Side, #8/17, 3rd Floor, C
Block, Shafee Mohammed Road,
Greens Road, Chennai - 600006
Tel :- 91 44 6650 1000
Fax :- 91 44 6650 1075
Email : lighting.india@philips.com

Philips Lighting India Ltd,

Philips Innovation Campus
Manyata Tech Park, Nagavara
Bengaluru-560045
Tel : 080-4189 0000
Fax :- 080 6692 9930
Email : lighting.india@philips.com

Philips Lighting India Ltd,

6-3-1109 / I / P / 103, 3rd floor
Jewalpawani Towers,
Rajbhavan Road,
Somajiguda, Hyderabad
Tel :- 040 6646 7676 / 4825
Fax :- 040 6678 7974
Email : lighting.india@philips.com

West

Philips Lighting India Ltd,

Boomerang, B2 Wing,
5th Floor, Unit No. 506,
Chandivali Farm Road,
Near Chandivali Studio,
Andheri (East), Mumbai 400072
Tel :- 91 22 6691 2000
Fax :- 91 22 6691 2389 / 66912398
Email : lighting.india@philips.com

Philips Lighting India Ltd,

602, Heritage Tower, 6th floor,
Behind Visnagar Co-op Bank,
Near Gujarat Vidyapith,
Usmanpura,
Ahmedabad, Gujarat
Tel :- 91 79 2754 0708
Fax :- 91 79 2754 0666
Email : lighting.india@philips.com

East

Philips Lighting India Ltd,

7, Justice Chandra Madhab Road,
Kolkata 700 020
Tel : 91 33 2486 7621-24
Fax : 91 33 2486 8318
Email : lighting.india@philips.com

North

Philips Lighting India Ltd,

9th Floor, DLF - 9B, DLF Cyber City
DLF Phase 3, Gurgaon 122002
Tel :- 91 124 460 6000
Fax :- 91 124 460 6666
Email : lighting.india@philips.com

Philips Lighting India Ltd,

8th floor, DLF - 9B, DLF Cyber City
DLF phase 3, Gurgaon 122002
Tel :- 91 124 460 6000
Fax :- 91 124 460 6666

Contact customer service
executive at
1800 102 2929 (Toll free)
1860 180 1111, 0124- 4291111
"Standard call rates apply"

For more information contact us at lighting.india@philips.com or call at **1800 102 2929**
www.lighting.philips.co.in

